# **Malerit Airfix**



## **Technical data**

Specific use(s) Water-borne coatings

Density

1,45 g/cm3

140 ml/m2

Wet-scrub Class 3, complies with wash resistance in accordance with DIN 53778

Contrast ratio Class 1 (in accordance with DIN EN 13300)

Consumption

Gloss level

Dull matt (in accordance with DIN EN 13300)

#### Components

Product Code/GISCODE

Preservation agents | not contained

M-DF01; BSW10

VOC content in accordance with < 0.1 %

Directive 2004/42/EC < 1 g/l

VOC content LEED [less water]

1 g/l

Solvent and plasticiser-free in yes

accordance with VdL-RL 01

2004/42/EC (Decopaint)

Water-dilutable in accordance with yes

Lead, cadmium, chromium VI \*

not contained

SVHC >0,1% - Substances of Very High

not contained

Concern (\* not contained in the formulation)

#### **Environmental labels**

#### **Building certifications - DGNB**

Suitable according to DGNB criteria ENV1.2 (System version 2018 and 2015)

No.	Application site	Product Type	Considered	QS 1	QS 2	QS 3	QS 4
			substances /				
			aspects				
2	Coatings on predominantlymineral	This refers to decorative paints,	VOC / SVOC	Ja	Ja	Ja	Ja
	interior subsurfacesas well as	primers, decorative fillers (incl. Q-					
	onwallpaper, non-wovenmaterials,	filler) and deep primer,floor coatings					
	plasterboard, etc. Floor areas with	with nospecial					
	specialresistance requirements(such	resistancerequirements, concrete					
	as OS (surfaceprotection) systems)	glazes					
	andtraffic routes such asunderground						
	garages andaccess roads are						
	nottaken into account						

## **Building certifications - LEED**

LEED v.4 (EQ CREDIT: Low emitting materials) LEED 2009 (IEQ4.1/ IEQ4.2/ IEQ4.3)

fulfilled fulfilled

flat topcoat

Product category VOC limit

50 g/l Limit fulfilled yes

**Product category** 

flat topcoat with colourant added at the point of sale

VOC limit 100 g/l

Limit fulfilled yes

AgBB approval passed

Formaldehyde limit <10µg/m³ (28d)

fulfilled

Recycling share

not contained

Production site

DAW SE

Roßdörfer Straße 50 DE-64372 Ober-Ramstadt

# **Building certifications - Assessment System NaWoh**

Assessment System Sustainable Housing suitable Constructions (NaWoh) v3.1