

Version	Revision Date:	Print Date	Date of last issue: 13.08.2019
2.0	30.11.2020	02.12.2020	Date of first issue: 13.08.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: Maler-Farbe InForm
1.2 Relevant identified uses of the	e substance or mixture and uses advised against
Use of the Sub- stance/Mixture	: Water-borne coatings
Recommended restrictions on use	: within adequate application - none
1.3 Details of the supplier of the	safety data sheet
Company	: Caparol Farben Lacke GmbH
	Roßdörfer Straße 50
	64372 Ober-Ramstadt
Telephone	: +496154710
Telefax	: +4961547170222
E-mail address Responsi- ble/issuing person	: msds@dr-rmi.com
1.4 Emergency telephone number	r
Emergency telephone num- ber 1	: +49613284463 GBK GmbH
SECTION 2: Hazards identific	ation
OLOTION 2. Hazarus mentine	
2.1 Classification of the substan	ce or mixture
Classification (REGULATIO	N (EC) No 1272/2008)
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
2.2 Label elements	
Labelling (REGULATION (EC	C) No 1272/2008)
Hazard pictograms	^
riazaru piciograms	
	•
Signal word	Warning
-	-
Hazard statements	H317 May cause an allergic skin reaction.
	1 / 18



Version	Revision Date:	Print Date	Date of last issue: 13.08.2019
2.0	30.11.2020	02.12.2020	Date of first issue: 13.08.2019

Precautionary statements

Prevention:

P262 Do not get in eyes, on skin, or on clothing.P280 Wear protective gloves/ eye protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

Hazardous components which must be listed on the label:

1

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labelling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

componenta			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide	13463-67-7	Carc. 2; H351	>= 1 - < 10
	236-675-5		
	022-006-00-2		
	01-2119489379-17		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,0025 - <
	220-120-9	Skin Irrit. 2; H315	0,025
	613-088-00-6	Eye Dam. 1; H318	
	01-2120761540-60	Skin Sens. 1; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 2;	
		H411	



Version Revision Date: Print Date Date of last issue: 13.08.2019 02.12.2020 2.0 30.11.2020 Date of first issue: 13.08.2019 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 2-methylisothiazol-3(2H)-one 2682-20-4 Acute Tox. 2; H330 >= 0,0025 - < 0,025 220-239-6 Acute Tox. 3: H311 613-326-00-9 Acute Tox. 3; H301 Skin Corr. 1B; H314 01-2120764690-50 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 reaction mass of 5-chloro-2-55965-84-9 Acute Tox. 3; H301 >= 0,0002 - < methyl-2H-isothiazol-3-one and 2-Acute Tox. 2; H330 0,0015 methyl-2H-isothiazol-3-one (3:1) 613-167-00-5 Acute Tox. 2; H310 01-2120764691-48 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 reaction mass of 5-chloro-2-55965-84-9 Acute Tox. 3; H301 >= 0,0002 - < methyl-2H-isothiazol-3-one and 2-Acute Tox. 2; H330 0,0015 methyl-2H-isothiazol-3-one (3:1) 613-167-00-5 Acute Tox. 2; H310 Skin Corr. 1C; H314 01-2120764691-48 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100

Maler-Farbe InForm

M-Factor (Chronic



ersion .0	Revision Date: 30.11.2020	Print Date 02.12.2020	Date of last issue: 13.08.2019 Date of first issue: 13.08.2019
			aquatic toxicity): 100
Subst	ances with a workpla	ce exposure limit :	
bariur	n sulfate	7727-43-7	>= 1 - < 10
		231-784-4	
		01-2119492	1274-35
kaolin)	1332-58-7	>= 1 - < 10
		310-194-1	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.	
If inhaled	:	Move to fresh air.	
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.	
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.	
4.2 Most important symptoms and effects, both acute and delayed			

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-



Version 2.0	Revision Date: 30.11.2020	•••	int Date 2.12.2020	Date of last issue: 13.08.2019 Date of first issue: 13.08.2019
				g measures that are appropriate to local cir- the surrounding environment.
Unsu media	itable extinguishing a	:	None known.	
5.2 Specia	al hazards arising from	n the	e substance or mi	xture
Spec fightir	ific hazards during fire- ng	:	produced such as	zardous decomposition products may be s: e, carbon dioxide and unburned hydrocar-
5.3 Advic	e for firefighters			
	ial protective equipment efighters	:	Wear self-contair essary.	ed breathing apparatus for firefighting if nec-
Furth	er information	:	Standard procedu The product itself	ure for chemical fires. does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so.

 0 1 0
If the product contaminates rivers and lakes or drains inform
respective authorities.
Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.



Version Revision Date: Print Date Date of last issue: 13.08.2019 2.0 30.11.2020 02.12.2020 Date of first issue: 13.08.2019		Print Date 02.12.2020	Revision Date: 30.11.2020	Version 2.0
--	--	-----------------------	---------------------------	----------------

SECTION 7: Handling and storage

7.1 Precautions for safe handling			
Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.	
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.	
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.	
7.2 Conditions for safe storage, including any incompatibilities			
Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.	
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.	
Storage class (TRGS 510)	:	12, Non Combustible Liquids	
7.3 Specific end use(s)			
Specific use(s)	:	This information is not available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
barium sulfate	7727-43-7	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900
	Peak-limit: ex	cursion factor (categ	ory): 2;(II)	000
	work place da dangerous su occupational o	ngerous for the heal bstances, General d exposure limit value ion regarding unspe	hission for the review of comp th (MAK-commission)., Com ust value. For this substance is established, since the AGS cific action on the respiratory	mission for no specific S does not yet organs in ex-
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900
	Peak-limit: excursion factor (category): 2;(II)			



				ate of last issue: 13.08.2019				
2.0 30.11.2020		02.12.2020 Da		ate of first issue: 13.08.2019				
		Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values.						
		1332-58-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC			
		Further information: Carcinogens or mutagens						
		13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS			
			fraction)	(Titanium dioxide)	900			
		Peak-limit: excursion factor (category): 2;(II)						
			AGW (Alveolate	1,25 mg/m3	DE TRGS			
			fraction)	(Titanium dioxide)	900			
		Peak-limit: excursion factor (category): 2;(II)						

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
barium sulfate	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13000,00 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
29H,31H- phthalocyaninato(2-)- N29,N30,N31,N32 copper	Consumers	Skin contact	Long-term systemic effects	225,00 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	45,00 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	4,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	450,00 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
barium sulfate	Fresh water	115 µg/l
	Fresh water sediment	600,4 mg/kg dry weight (d.w.)
	Soil	207,7 mg/kg dry weight (d.w.)



Version 2.0	Revision Date: 30.11.2020	Print Date 02.12.2020	Date of last issue: Date of first issue:	
titaniu	um dioxide	Sewage trea		62,2 mg/l 100 mg/l
			Fresh water Soil	
			sediment	0,0184 mg/l 1000 mg/kg dry weight (d.w.)
			nent	100 mg/kg dry weight (d.w.)
	31H-phthalocyaninato(30,N31,N32 copper	-)- Fresh water		0,193 mg/l 10 mg/kg dry weight (d.w.)
		Marine sedin	nent	1 mg/kg dry weight (d.w.)
		Soil		1 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipmer	nt
Eye protection	German trade association rules - BGR 192 Eye protection
	Goggles
Hand protection Material Glove thickness Protective index	Nitrile rubber 0,2 mm Class 3
Remarks	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. German trade association leaflet: Carry gloves (ZH 1/706)
Skin and body protection	Safety shoes Long sleeved clothing
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
	Skin should be washed after contact.
	Remove and wash contaminated clothing before re-use. During spray application: impervious clothing
Respiratory protection	No personal respiratory protective equipment normally re- quired.
	German trade association rules - BGR 190 Breathing protec-



Version 2.0	Revision Date: 30.11.2020	Print Date 02.12.2020	Date of last issue: 13.08.2019 Date of first issue: 13.08.2019	

tion

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	blue
Odour	:	No data available
Odour Threshold	:	Not relevant
рН	:	8 - 9 Concentration: 100 %
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	not determined
Relative vapour density	:	not determined
Relative density	:	not determined
Density	:	1,2900 g/cm3
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	not determined
Auto-ignition temperature	:	not determined



Version	Revision Date:	Print Date	Date of last issue: 13.08.2019
2.0	30.11.2020	02.12.2020	Date of first issue: 13.08.2019

Decomposition temperature	:	Not applicable
Viscosity Viscosity, dynamic	:	No data available
Explosive properties	:	Not applicable
Oxidizing properties	:	Not applicable
9.2 Other information Flammability (liquids)	:	The product is not flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous read	tio	ns
Hazardous reactions	:	No decomposition if stored and applied as directed.
10.4 Conditions to avoid		
Conditions to avoid	:	Protect from frost, heat and sunlight.
10.5 Incompatible materials		
Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.
10.6 Hazardous decomposition pr	od	ucts
No decomposition if stored and	ар	plied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria



Maler-Fa	arbe InForm			
Version 2.0	Revision Date: 30.11.2020		int Date 2.12.2020	Date of last issue: 13.08.2019 Date of first issue: 13.08.2019
			are not met.	
Acute	Acute dermal toxicity		Remarks: Based are not met.	on available data, the classification criteria
Comp	onents:			
1,2-be	nzisothiazol-3(2H)-or	ne:		
Acute	oral toxicity	:	LD50 (Rat): 532 r	ng/kg
Acute i	Acute inhalation toxicity		LC50 (Rat): 0,4 m Exposure time: 4 Test atmosphere:	ĥ
Acute	dermal toxicity	:	LD50 (Rat): > 2.0	00 mg/kg
2-meth	ylisothiazol-3(2H)-oi	ne:		
Acute	oral toxicity	:	LD50 (Rat): 120 r	ng/kg
Acute i	nhalation toxicity	:	LC50 (Rat): 0,145 Exposure time: 4 Test atmosphere:	h
reactic (3:1):	on mass of 5-chloro-2	2-me	ethyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one
. ,	oral toxicity	:	LD50 (Rat): 66 m Method: OECD T	
Acute i	nhalation toxicity	:	LC50 (Rat): 0,17 Exposure time: 4 Test atmosphere: Method: OECD T	h
Acute	dermal toxicity	:	LD50 (Rat): > 14 Method: OECD T	
reactic (3:1):	on mass of 5-chloro-2	2-me	ethyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one
Acute	oral toxicity	:	LD50 (Rat): 66 m Method: OECD T	
Acute i	nhalation toxicity	:	LC50 (Rat): 0,17 Exposure time: 4 Test atmosphere: Method: OECD T	h
Acute	dermal toxicity	:	LD50 (Rat): > 14 ⁻	l mg/kg



		_			
ersion .0	Revision Date: 30.11.2020		int Date .12.2020	Date of last issue: 13.08.2019 Date of first issue: 13.08.2019	
			Method: OECD T	est Guideline 402	
Skin	corrosion/irritation				
Prod	uct:				
Rema	Remarks			classification criteria of the European Union considered as being a skin irritant.	
Serious eye damage/eye irritation					
Prod	uct:				
Rema	Remarks		According to the classification criteria of the European Union, the product is not considered as being an eye irritant.		
Resp	iratory or skin sensitis	atio	on		
Prod	uct:				
Rema	arks	:	Causes sensitisat	ion.	
	12: Ecological infor	ma	tion		
ECTION	J				
ECTION 2.1 Toxic	-				
2.1 Toxic	city				
2.1 Toxic <u>Prod</u> i	city	:	Remarks: No data	a available	
2.1 Toxic <u>Produ</u> Toxic Toxic	city uct:	-			
2.1 Toxic Produ Toxic Toxic aquat	city <u>uct:</u> ity to fish ity to daphnia and other	-			

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1



ersion 0	Revision Date: 30.11.2020		int Date .12.2020	Date of last issue: 13.08.2019 Date of first issue: 13.08.2019
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
2-me	thylisothiazol-3(2H)-on	e:		
M-Fa icity)	ctor (Acute aquatic tox-	:	10	
	M-Factor (Chronic aquatic toxicity)		1	
react (3:1):		-me	ethyl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-on
M-Fa icity)	ctor (Acute aquatic tox-	:	100	
	M-Factor (Chronic aquatic toxicity)		100	
react (3:1):		-me	thyl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-on
M-Fa icity)	ctor (Acute aquatic tox-	:	100	
	M-Factor (Chronic aquatic toxicity)		100	
bariu	m sulfate:			
Toxic	ity to fish	:	Remarks: No	o toxicity at the limit of solubility
	ity to daphnia and other tic invertebrates	:	Remarks: No	o toxicity at the limit of solubility
Toxic plants	ity to algae/aquatic s	:	Remarks: No	o toxicity at the limit of solubility
Toxic icity)	ity to fish (Chronic tox-	:	Remarks: No	o toxicity at the limit of solubility
	ity to daphnia and other tic invertebrates (Chron-	:	Remarks: No	o toxicity at the limit of solubility

12.2 Persistence and degradability

No data available



Version	Revision Date:	Print Date	Date of last issue: 13.08.2019 Date of first issue: 13.08.2019
2.0	30.11.2020	02.12.2020	Date of first issue. 13.06.2019

12.3 Bioaccumulative potential

Components:

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one						
(3:1):						
Dortition apofficient: n	$1 \log \operatorname{Pow}(z = 0.71)$					

Partition coefficient: n-	:	log Pow: <= 0,71
octanol/water		Method: OECD Test Guideline 117

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-	:	log Pow: <= 0,71
octanol/water		Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Ρ	r	ο	d	u	С	t	:	

Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
	very persistent and very bioaccumulative (vPvB) at levels of

12.6 Other adverse effects

Product:

Additional ecological infor- : mation	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
mation	unprofessional handling of disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Product		
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*



Version	Revision Date: 30.11.2020	Print Date	Date of last issue: 13.08.2019
2.0		02.12.2020	Date of first issue: 13.08.2019

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered Number on list 3	•
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.	
REACH - List of substances subject to authorisation (Annex XIV)	: None	

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable



Version	Revision Date:	Print Date	Date of last issue: 13.08.2019	
2.0	30.11.2020	02.12.2020	Date of first issue: 13.08.2019	
Water contaminating class		: 1 slightly water endangering		
(Germany)		Classification according to AwSV, Annex 1 (5.2)		
•		: BSW20 Coating	materials, water-based	
Volatile organic compounds		: Directive 2004/42/EC < 0.1 % < 1 g/l		

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	÷	Harmful if swallowed.
H310	÷	Fatal in contact with skin.
H311	÷	Toxic in contact with skin.
H314	÷	Causes severe skin burns and eye damage.
H315	÷	Causes skin irritation.
H317	÷	May cause an allergic skin reaction.
H318	÷	Causes serious eye damage.
H330	÷	Fatal if inhaled.
H351	:	Suspected of causing cancer if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411		Toxic to aquatic life with long lasting effects.
Full text of other abbreviat	tions	
Acute Tox.	:	Acute toxicity
Aquatic Acute	÷	Short-term (acute) aquatic hazard
Aquatic Chronic	÷	Long-term (chronic) aquatic hazard

	•	
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Carc.	:	Carcinogenicity
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens



Version	Revision Date: 30.11.2020	Print Date	Date of last issue: 13.08.2019
2.0		02.12.2020	Date of first issue: 13.08.2019
2004/3	GS 900 7/EC / TWA GS 900 / AGW	at work : Germany. TR : Long term ex : Time Weighte	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixture:

Skin Sens. 1 H317

Classification procedure: Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guid-



Version	Revision Date:	Print Date	Date of last issue: 13.08.2019
2.0	30.11.2020	02.12.2020	Date of first issue: 13.08.2019

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN