

CaparolColor Vollton- und Abtönfarbe Nut					
Version	Revision Date:	SDS Number:	Date of last issue: 02.02.2023		
3.0	05.09.2023	6002217	Date of first issue: 13.08.2019		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	CaparolColor Vollton- und Abtönfarbe Nut
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Water-borne coatings
	Recommended restrictions on use	:	within adequate application - none
1.3	Details of the supplier of the	safe	ety data sheet
	Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
	Telephone	:	+496154710
	Telefax	:	+4961547170222
	Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1	: +49613284463 GBK GmbH
-----------------------	-------------------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	272/2008)
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

by Commission Regulation (EU) 2020/878



DE / EN

Capa	rolColor Vollton-	ur	nd Abtönfarbe	e Nut
Version 3.0	Revision Date: 05.09.2023	-	DS Number: 002217	Date of last issue: 02.02.2023 Date of first issue: 13.08.2019
Haz	zard pictograms	:		
Sig	nal Word	:	Warning	
Haz	zard Statements	:	H317 May cause	e an allergic skin reaction.
Pre	Precautionary Statements		label at hand.	advice is needed, have product container or of reach of children.
			Prevention:	
				athing mist or vapors. ective gloves.
			Response: P302 + P352 IF	ON SKIN: Wash with plenty of water.
			Disposal:	
			-	f contents/ container to an approved waste

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature



CaparolColor Vollton- und Abtönfarbe Nut

Version	Revision Date:	SDS Number:	Date of last issue: 02.02.2023
3.0	05.09.2023	6002217	Date of first issue: 13.08.2019

Components

Components			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 0,1 - < 1
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 —————————— M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 ————————————————————————————————————	>= 0,0025 - < 0,025
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1) 55965-84-9 (613-167-00-5) 01-2120764691-48 Acute Too Acute Too Acute Too Acute Too Skin Corr Eye Dam, Skin Sens Aquatic A H400 Aquatic C H410 EUH071 M-Factor aquatic to M-Factor aquatic to 0,06 - <0 Skin Corr >= 0,6 % Skin Irrit. 0,06 - <0 Skin Sens >= 0,011 Eye Dam, Skin Sens >= 0,012 Substances with a workplace exposure limit : barium sulfate T727-43-7 231-784-4		f last issue: 02.02.2023 first issue: 13.08.2019	Number:	te: SDS		rsior
Substances with a workplace exposure limit : barium sulfate 7727-43-7 231-784-4	oncentration . 1A; H317 % . 3; H301 . 2; H330 . 2; H310 1C; H314 1; H318 . 1A; H317 cute 1; hronic 1; (Acute xicity): 100 (Chronic xicity): 100 oncentration 1C; H314 2; H315 6 % ;; H319	Skin Sens. 1A; H317 >= 0,0015 % Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319	55965-84-9 613-167-00-5	-3-one and 2-	ethyl-2H-isothiazo	m
	. 1A; H317 %	Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %		orkplace expos		
01-2119491274-35 kaolin 1332-58-7	>= 1 - <		01-2119491274-3		aolin	ka

For explanation of abbreviations see section 16.



CaparolColor Vollton- und Abtönfarbe NutVersionRevision Date:SDS Number:Date of last issue: 02.02.20233.005.09.20236002217Date of first issue: 13.08.2019

SECTION 4: First aid measures

4.1 Description of first-aid measures						
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.				
If inhaled	:	Move to fresh air.				
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.				
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
If swallowed	: Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.					
4.2 Most important symptoms a	nd e	effects, both acute and delayed				
Risks	:	May cause an allergic skin reaction.				
4.3 Indication of any immediate	me	dical attention and special treatment needed				
Treatment	:	No information available.				
SECTION 5: Firefighting mea	sur	res				
5.1 Extinguishing media						
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.				

Do not use a solid water stream as it may scatter and spread
fire.

Unsuitable extinguishing	:	None known.
media		



Ca	parolCo	olor Vollton-ι	ind	d Abtönfarbe	Nut
Vers	sion Re	evision Date:	SD	S Number:	Date of last issue: 02.02.2023
3.0	05	5.09.2023	60	02217	Date of first issue: 13.08.2019
5.2 \$	Special haz	zards arising from	the	e substance or mix	xture
	Specific ha	azards during fire	:	produced such as	ardous decomposition products may be : , carbon dioxide and unburned hydrocar-
5.3 A	Advice for	firefighters			
	Special pro for fire-figh	otective equipment aters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
	Further info	ormation	:	Standard procedu The product itself	ire for chemical fires. does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.



Capa	CaparolColor Vollton- und Abtönfarbe Nut				
Version 3.0	Revision Date: 05.09.2023		DS Number: 02217	Date of last issue: 02.02.2023 Date of first issue: 13.08.2019	
Нус	giene measures	:	: Wash hands before eating, drinking, or smoking. Do not drink or smoke when using this product. Remove contam ed clothing and protective equipment before entering eat areas.		
7.2 Con	ditions for safe storage,	inc	luding any incom	patibilities	
	quirements for storage as and containers	:	in heat or direct s original container	en. To maintain product quality, do not store unlight. Store at room temperature in the . Containers which are opened must be care- l kept upright to prevent leakage.	
Adv	vice on common storage	:	Keep away from o materials.	oxidizing agents and strongly acid or alkaline	
Sto	rage class (TRGS 510)	:	12		
•	cific end use(s) ecific use(s)	:	This information is	s not available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
barium sulfate	7727-43-7	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900	
	Peak-limit cat	egory: 2;(II)			
			compliance with the OEL ar f harming the unborn child	nd biological	
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527	
kaolin	1332-58-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC	
	Further information: Carcinogens or mutagens				
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

CaparolColor Vollton- und Abtönfarbe Nut

VersionRevision Date:SDS Number:Date of last issue: 02.02.20233.005.09.20236002217Date of first issue: 13.08.2019			•••••••••••••••••••••••••••••••••••••••	
3.0 05.09.2023 6002217 Date of first issue: 13.08.2019	Version	Revision Date:	SDS Number:	Date of last issue: 02.02.2023
	3.0	05.09.2023	6002217	Date of first issue: 13.08.2019

diameter ≤ 10 µm]					
	Peak-limit cat	egory: 2;(II)			
	Further inform	ation: When there is	compliance with the OEL ar	nd biological	
	tolerance valu	ies, there is no risk o	f harming the unborn child		
		AGW (Alveolate	1,25 mg/m3	DE TRGS	
		fraction)	(Titanium dioxide)	900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				
		BM (Alveolar	0,5 mg/m3	DE TRGS	
		dust fraction)		527	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
barium sulfate	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13000,00 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
iron hydroxide oxide yellow	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
diiron trioxide	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter \leq 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
barium sulfate	Fresh water	115 µg/l
	Fresh water sediment	600,4 mg/kg dry weight (d.w.)
	Soil	207,7 mg/kg dry weight (d.w.)
	Sewage treatment plant	62,2 mg/l
titanium dioxide; [in powder form	Sewage treatment plant	100 mg/l



CaparolColor Vollton- und Abtönfarbe Nut

Version	Revision Date:	SDS Number:	Date of last issue: 02.02.2023
3.0	05.09.2023	6002217	Date of first issue: 13.08.2019

containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 μm]		
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

8.2 Exposure controls

Personal protective equipment				
Eye/face protection		DGUV Regulation 112-192 - Use of eye and face protection		
		Goggles		
Hand protection Material Glove thickness Protective index		Nitrile rubber 0,2 mm Class 3		
Remarks	,	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves		
Skin and body protection		Safety shoes Long sleeved clothing		
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.		
		Skin should be washed after contact.		
		Remove and wash contaminated clothing before re-use. During spray application: impervious clothing		
Respiratory protection		No personal respiratory protective equipment normally re- quired.		
		DGUV Regulation 112-190 - Use of breathing equipment		
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.		



Caparo	Color Vollton-	und Abtönfarbe	e Nut
Version	Revision Date:	SDS Number:	Date of last issue: 02.02.2023
3.0	05.09.2023	6002217	Date of first issue: 13.08.2019

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	brown
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n-	:	Not applicable



Caparo Version 3.0	Revision Date: 05.09.2023	- und Abtönf SDS Number: 6002217	arbe Nut Date of last issue: 02.02.2023 Date of first issue: 13.08.2019	
octan	nol/water			
Vapo	r pressure	: ca. 23,4 hl	Pa (20 °C)	
Relat	ive density	: not determ	nined	
Dens	ity	: 1,2900 g/c	cm3	
Relat	ive vapor density	: Not applica	able	
	information	· Not applic	abla	
	osives	: Not applica		
Oxidi	zing properties	: Not applic	able	
Flam	mability (liquids)	: The produ	ct is not flammable.	

SECTION 10: Stability and reactivity

-		-
10.1 Reactivity		
No decomposition if stored and	d ap	oplied as directed.
10.2 Chemical stability		
No decomposition if stored and	d ap	oplied as directed.
10.3 Possibility of hazardous read	ctic	ons
Hazardous reactions	:	No decomposition if stored and applied as directed.
10.4 Conditions to avoid		
Conditions to avoid	:	Protect from frost, heat and sunlight.
10.5 Incompatible materials		
Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.
10.6 Hazardous decomposition p	roc	lucts

No decomposition if stored and applied as directed.



CaparolColor Vollton- und Abtönfarbe Nut

Version	Revision Date:	SDS Number:	Date of last issue: 02.02.2023
3.0	05.09.2023	6002217	Date of first issue: 13.08.2019

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

2-methylisothiazol-3(2H)-one:

Acute oral toxicity	: LD50 (Rat): 120 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.



CaparolColor Vollton- und Abtönfarbe Nut

Version	Revision Date:	SDS Number:	Date of last issue: 02.02.2023
3.0	05.09.2023	6002217	Date of first issue: 13.08.2019

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:		
Toxicity to fish :	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates		EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h



sion	Revision Date: 05.09.2023		OS Number: 02217	Date of last issue: 02.02.2023 Date of first issue: 13.08.2019
			Method: OECD Te	est Guideline 202
Toxici plants	ty to algae/aquatic	:	EC50 (Selenastru Exposure time: 72 Method: OECD Te	
M-Fac icity)	ctor (Acute aquatic tox-	:	1	
M-Fac toxicit	ctor (Chronic aquatic y)	:	1	
2-met	hylisothiazol-3(2H)-on	e:		
M-Fac icity)	ctor (Acute aquatic tox-	:	10	
M-Fac toxicit	ctor (Chronic aquatic y)	:	1	
reacti (3:1):	ion mass of 5-chloro-2·	·me	thyl-2H-isothiazol	-3-one and 2-methyl-2H-isothiazol-3-o
M-Fac icity)	ctor (Acute aquatic tox-	:	100	
M-Fac toxicit	ctor (Chronic aquatic y)	:	100	
bariu	m sulfate:			
Toxici	ty to fish	:	Remarks: No toxic	city at the limit of solubility.
	ty to daphnia and other ic invertebrates	:	Remarks: No toxic	city at the limit of solubility.
Toxici plants	ty to algae/aquatic	:	Remarks: No toxic	city at the limit of solubility.
Toxici icity)	ty to fish (Chronic tox-	:	Remarks: No toxic	city at the limit of solubility.
	ty to daphnia and other ic invertebrates (Chron-	:	Remarks: No toxic	city at the limit of solubility.

12.2 Persistence and degradability

No data available



Caparo	CaparolColor Vollton- und Abtönfarbe Nut							
Version 3.0	Revision Date: 05.09.2023		DS Number:)02217	Date of last issue: 02.02.2023 Date of first issue: 13.08.2019				
12.3 Bioac	cumulative potential							
<u>Comp</u>	onents:							
1,2-be	enzisothiazol-3(2H)-or	ne:						
	on coefficient: n- ol/water	:	log Pow: 0,63 - 0, pH: 7	76				
2-met	hylisothiazol-3(2H)-or	ne:						
	on coefficient: n- bl/water	:	log Pow: -0,486 (: pH: 7	25 °C)				
reaction (3:1):	on mass of 5-chloro-2	2-m	ethyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one				
	on coefficient: n- bl/water	:	log Pow: <= 0,75 Method: OECD T	est Guideline 117				
12.4 Mobil No dat	ity in soil ta available							
12.5 Resul	ts of PBT and vPvB a	isse	ssment					
Produ	ict:							
Asses	sment	:	to be either persis	ixture contains no components considered stent, bioaccumulative and toxic (PBT), or ind very bioaccumulative (vPvB) at levels of				
12.6 Endo	crine disrupting prop	ertie	es					
Produ	ict:							
Asses	sment	:	ered to have endo REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.				
12.7 Other	adverse effects							
Produ Additio mation	onal ecological infor-	:		hazard cannot be excluded in the event of andling or disposal.				



Caparo	IColor Vollton	- und Abtönfar	be Nut	
Version	Revision Date:	SDS Number:	Date of last issue: 02.02.2023	
3.0	05.09.2023	6002217	Date of first issue: 13.08.2019	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADN	:	Not regulated as a dangerous good	
		40/00	



CaparolColor Vollton- und Abtönfarbe Nut				
Version	Revision Date:	SDS Number: Date of last issue: 02.02.2023		
3.0	05.09.2023	6002217 Date of first issue: 13.08.2019		
ADR		: Not regulated as a dangerous good		
RID		: Not regulated as a dangerous good		
IMDG		: Not regulated as a dangerous good		
IATA (Cargo)		: Not regulated as a dangerous good		
IATA (Passenger)		: Not regulated as a dangerous good		
14.5 Environmental hazards				
Not regulated as a dangerous good				
14.6 Special precautions for user				
Rema	arks	: Not classified as dangerous in the meaning of transport reglations.	gu-	
14.7 Maritime transport in bulk according to IMO instruments				

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	None



CaparolColor Vollton- und Abtönfarbe Nut

Version	Revision Date:	SDS Number:	Date of last issue: 02.02.2023
3.0	05.09.2023	6002217	Date of first issue: 13.08.2019

Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.				
Water hazard class (Germa- ny)		rater endangering cording to AwSV, Annex 1 (5.2)		
	BSW20 Coating	materials, water-based		
Volatile organic compounds	emissions (integr	5/EU of 24 November 2010 on industrial rated pollution prevention and control) compounds (VOC) content: < 0,01 %		
Volatile organic compounds	Directive 2004/42 < 0.1 % < 1 g/l	2/EC		

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 H302 H310 H311 H314 H315 H317 H318 H330 H351 H400 H410 H411 EUH071	 Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Suspected of causing cancer if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects.
EUH071	: Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox.	
------------	--

: Acute toxicity



CaparolColor Vollton- und Abtönfarbe NutVersionRevision Date:SDS Number:Date of last issue: 02.02.20233.005.09.20236002217Date of first issue: 13.08.2019

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitization
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
DE TRGS 527	: Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	: Germany. TRGS 900 - Occupational exposure limit values.
2004/37/EC / TWA	: Long term exposure limit
DE TRGS 527 / BM	: Assessment scale
DE TRGS 900 / AGW	: Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; ISHL - Industrial Safe y and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LCS0 - Lethal Concentration of 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concornic Concornic (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZICC - New Zealand Inventory of Chemicals; OECD - Organization, FICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure A

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials



CaparolColor Vollton- und Abtönfarbe Nut

Version	Revision Date:	SDS Number:	Date of last issue: 02.02.2023
3.0	05.09.2023	6002217	Date of first issue: 13.08.2019

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the m	ixture:	Classification procedure:
Skin Sens. 1	H317	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments. Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon

as new information is available our safety data sheets will be amended accordingly.

DE / EN