

# AVA AmphiColor Oxidgrün

Version	Revision Date:	SDS Number:	Date of last issue: 08.01.2021
2.0	17.01.2023	6000106	Date of first issue: 21.11.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	AVA AmphiColor Oxidgrün
1.2 Relevant identified uses of t	he s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	:	+496154710
Telefax	:	+4961547170222
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone		
Emergency telephone 1	:	+49613284463 GBK GmbH

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 12	72/2008)
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

### 2.2 Label elements

### Labeling (REGULATION (EC) No 1272/2008)





## AVA AmphiColor Oxidgrün

Version 2.0	Revision Date: 17.01.2023	SDS Nur 6000106		Date of last issue: 08.01.2021 Date of first issue: 21.11.2019
Hazard Statements Precautionary Statements		P102	If medical at hand. Keep out o	e an allergic skin reaction. advice is needed, have product container or of reach of children.
		Preve P262 P280	Do not get	in eyes, on skin, or on clothing. ective gloves/ eye protection.
		water. P362 ·	+ P352 IF	ON SKIN: Wash with plenty of soap and like off contaminated clothing and wash it

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature : Color

### Components

Chemical name	CAS-No. EC-No. Index-No.	Classification	Concentration (% w/w)
	Registration number		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,0025 - <



## AVA AmphiColor Oxidgrün

rsion		DS Number: 000106	Date of last issue: 08.01.202 Date of first issue: 21.11.201	
		220-120-9 613-088-00-6 01-2120761540	-60 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	0,025
2-met	hylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H311 Acute Tox. 3; H301 -50 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0025 - 0,025
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	
			specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
methy	on mass of 5-chloro-2- /I-2H-isothiazol-3-one and /I-2H-isothiazol-3-one (3:1		Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 -48 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317	>= 0,0002 - 0,0015





## AVA AmphiColor Oxidgrün

rsion	Revision Date: 17.01.2023	SDS Number: 6000106	Date of last issue: 08.01.2021 Date of first issue: 21.11.2019
			Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100
			specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %
Subst	ances with a workpla	ce exposure limit :	
	nium (III) oxide	1308-38-9 215-160-9 01-21194339	51-39
bariun	n sulfate	7727-43-7 231-784-4 01-21194912	>= 1 - < 10
kaolin		1332-58-7 310-194-1	>= 1 - < 10

For explanation of abbreviations see section 16.

:

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

General advice

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.



## AVA AmphiColor Oxidgrün

Version 2.0	Revision Date: 17.01.2023		DS Number: 000106	Date of last issue: 08.01.2021 Date of first issue: 21.11.2019
lf inha	led	:	Move to fresh air.	
In cas	e of skin contact	:	Do NOT use solve In case of contact of water.	ents or thinners. t, immediately flush skin with soap and plenty
In cas	e of eye contact	:	IF IN EYES: Rins	rsists: Get medical advice/ attention. e cautiously with water for several minutes. enses, if present and easy to do. Continue
lf swa	llowed	:		vice. water and drink afterwards plenty of water. NOT induce vomiting.
4.2 Most ir	nportant symptoms a	nd (	effects, both acute	e and delayed

**4.3 Indication of any immediate medical attention and special treatment needed** Treatment : No information available.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires.



### AVA AmphiColor Oxidgrün Version Revision Date: SDS Number: Date of last issue: 08.01.2021 2.0 17.01.2023 6000106 Date of first issue: 21.11.2019 The product itself does not burn. **SECTION 6: Accidental release measures** 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing. 6.2 Environmental precautions **Environmental precautions** : Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system. 6.3 Methods and material for containment and cleaning up Keep in suitable, closed containers for disposal. Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Perishable if frozen. To maintain product quality, do not store
areas and containers		in heat or direct sunlight. Store at room temperature in the
		original container. Containers which are opened must be care-
		fully resealed and kept upright to prevent leakage.



## AVA AmphiColor Oxidgrün

Version 2.0	Revision Date: 17.01.2023	SDS Number: 6000106	Date of last issue: 08.01.2021 Date of first issue: 21.11.2019
Advic	e on common storage	: Keep away materials.	from oxidizing agents and strongly acid or alkaline
Stora	ge class (TRGS 510)	: 12	
•	fic end use(s) fic use(s)	: This informa	ation is not available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
chromium (III) ox- ide	1308-38-9	AGW (Inhalable fraction)	2 mg/m3 (chromium)	DE TRGS 900	
	Peak-limit cat	egory: 1;(I)			
		TWA	2 mg/m3 (chromium)	2006/15/EC	
	Further inform	nation: Indicative			
barium sulfate	7727-43-7	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biologica				
	tolerance values, there is no risk of harming the unborn child				
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900	
Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological				
	tolerance valu	ies, there is no risk o	of harming the unborn child	_	
		BM (Alveolar	0,5 mg/m3	DE TRGS	
		dust fraction)		527	
kaolin	1332-58-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC	
	Further inform	nation: Carcinogens	or mutagens		

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
chromium (III) oxide	Consumers	Inhalation	Long-term local ef-	0,50 mg/m3
			fects	_
	Workers	Inhalation	Acute local effects	2,00 mg/m3
	Workers	Inhalation	Long-term local ef-	0,50 mg/m3
			fects	
barium sulfate	Consumers	Inhalation	Long-term systemic	10,00 mg/m3
			effects	



## AVA AmphiColor Oxidgrün

Version 2.0	Revision Date: 17.01.2023	SDS Num 6000106	nber:	Date of last issue: 08.01.2021 Date of first issue: 21.11.2019	
		Consumers	Ingestion	Long-term systemic effects	13000,00 mg/kg bw/day
		Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
		Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
chromium (III) oxide	Sewage treatment plant	10 mg/l
	Intermittent use/release	0,0047 mg/l
	Soil	3,2 mg/kg dry
		weight (d.w.)
	Sea water	0,0047 mg/l
	Fresh water sediment	18,2 mg/kg dry
		weight (d.w.)
	Sea sediment	1,31 mg/kg dry
		weight (d.w.)
	Fresh water	0,0047 mg/l
barium sulfate	Fresh water	115 μg/l
	Fresh water sediment	600,4 mg/kg dry
		weight (d.w.)
	Soil	207,7 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	62,2 mg/l

### 8.2 Exposure controls

<b>Personal protective equipm</b> Eye/face protection	ent :	
		Goggles
Hand protection Material Glove thickness Protective index	: : :	Nitrile rubber 0,2 mm Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Safety shoes Long sleeved clothing
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
		Skin should be washed after contact.



## AVA AmphiColor Oxidgrün

Version 2.0	Revision Date: 17.01.2023	•••	DS Number: 000106	Date of last issue: 08.01.2021 Date of first issue: 21.11.2019
				sh contaminated clothing before re-use. lication: impervious clothing
Respi	iratory protection	:	No personal resp quired.	iratory protective equipment normally re-
			DGUV Regulation	n 112-190 - Use of breathing equipment
				lication: Do not breathe spray dust. Use on filter for paint spraying.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	green
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n-	:	Not applicable



## AVA AmphiColor Oxidgrün

Vers 2.0	sion	Revision Date: 17.01.2023		0S Number: 00106	Date of last issue: 08.01.2021 Date of first issue: 21.11.2019
	octano	l/water			
	Vapor	pressure	:	ca. 23,4 hPa (20	°C)
	Relativ	e density	:	not determined	
Density		:	1,4100 g/cm3		
Relative vapor density		e vapor density	:	Not applicable	
9.2	Other in	nformation			
	Explos	ives	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is n	ot flammable.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	: No decomposition if stored and applied as directed.
10.4 Conditions to avoid	
Conditions to avoid	· Protect from freet heat and sunlight

Conditions to avoid	:	Protect from frost, heat and sunlight.
10.5 Incompatible materials		
Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.

### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified based on available information.



## AVA AmphiColor Oxidgrün

: LC50 (Rat) Exposure t			
: LD50 (Rat) : LC50 (Rat) Exposure ti	: 0,4 mg/l		
: LC50 (Rat) Exposure t	: 0,4 mg/l		
Exposure t			
	: LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist		
: LD50 (Rat)	: > 2.000 mg/kg		
one:			
	: 120 mg/kg		
Exposure t			
o-2-methyl-2H-iso	thiazol-3-one and 2-methyl-2H-isothiazol-3-one		
	: 66 mg/kg ECD Test Guideline 401		
Exposure t Test atmos			
	: > 141 mg/kg ECD Test Guideline 402		
: LD50 Oral	(Rat): 10.000 mg/kg		
ailable information.			
irritation			
tization			
	<ul> <li>: LD50 (Rat)</li> <li>: LC50 (Rat) Exposure ti Test atmos</li> <li>: LD50 (Rat) Exposure ti Test atmos</li> <li>: LD50 (Rat) Exposure ti Test atmos Method: OF</li> <li>: LD50 (Rat) Exposure ti Test atmos</li> <li>: LD50 (Rat) Method: OF</li> <li>: LD50 (Rat) Method: OF</li> <li>: LD50 (Rat) Method: OF</li> <li>: LD50 Oral</li> <li>ailable information.</li> <li>tization</li> <li>reaction.</li> </ul>		



AVA AmphiColor Oxidgrün						
Version 2.0	Revision Date: 17.01.2023	SDS Number: 6000106	Date of last issue: 08.01.2021 Date of first issue: 21.11.2019			
Germ	cell mutagenicity					
Not c	lassified based on ava	ailable information.				
Carcinogenicity						
Not c	lassified based on ava	ailable information.				
Repr	oductive toxicity					
Not c	lassified based on ava	ailable information.				
STOT-single exposure						
Not classified based on available information.						
STOT	STOT-repeated exposure					
Not c	Not classified based on available information.					
Aspiration toxicity						
Not classified based on available information.						
11.2 Information on other hazards						
Endocrine disrupting properties						
Product:						
Asse	ssment	ered to have e REACH Article	e/mixture does not contain components consid- endocrine disrupting properties according to e 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at o or higher.			

### **SECTION 12: Ecological information**

### 12.1 Toxicity

### **Components:**

### 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1



AVA	AVA AmphiColor Oxidgrün				
Versior 2.0		SE	0S Number: 00106	Date of last issue: 08.01.2021 Date of first issue: 21.11.2019	
	Factor (Chronic aquatic kicity)	:	1		
2-	methylisothiazol-3(2H)-on	e:			
M- ici	Factor (Acute aquatic tox- ty)	:	10		
	Factor (Chronic aquatic xicity)	:	1		
	action mass of 5-chloro-2 <sup>.</sup> :1):	-me	thyl-2H-isothiazol	-3-one and 2-methyl-2H-isothiazol-3-one	
M- ici	Factor (Acute aquatic tox- ty)	:	100		
	Factor (Chronic aquatic kicity)	:	100		
ch	romium (III) oxide:				
Тс	oxicity to fish	:	Remarks: No toxic	city at the limit of solubility.	
	oxicity to daphnia and other juatic invertebrates	:	Remarks: No toxic	city at the limit of solubility.	
	oxicity to algae/aquatic ants	:	Remarks: No toxic	city at the limit of solubility.	
Tc ici	oxicity to fish (Chronic tox- ty)	:	Remarks: No toxic	city at the limit of solubility.	
aq	oxicity to daphnia and other juatic invertebrates (Chron- toxicity)	:	Remarks: No toxio	city at the limit of solubility.	
ba	rium sulfate:				
Тс	oxicity to fish	:	Remarks: No toxic	city at the limit of solubility.	
	oxicity to daphnia and other juatic invertebrates	:	Remarks: No toxic	city at the limit of solubility.	
	oxicity to algae/aquatic ants	:	Remarks: No toxic	city at the limit of solubility.	
To ici	oxicity to fish (Chronic tox- ty)	:	Remarks: No toxic	city at the limit of solubility.	



## AVA AmphiColor Oxidgrün

Version	Revision Date:	SDS Number:	Date of last issue: 08.01.2021
2.0	17.01.2023	6000106	Date of first issue: 21.11.2019

Toxicity to daphnia and other : Remarks: No toxicity at the limit of solubility. aquatic invertebrates (Chronic toxicity)

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

### **Components:**

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-	:	log Pow: <= 0,71
octanol/water		Method: OECD Test Guideline 117

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### 12.6 Endocrine disrupting properties

Product:	
Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Product : .



## AVA AmphiColor Oxidgrün

Version 2.0	Revision Date: 17.01.2023	SDS Number: 6000106	Date of last issue: 08.01.2021 Date of first issue: 21.11.2019
		Waste should	d not be disposed of via wastewater.
Conta	minated packaging	: Only complet cling.	tely emptied containers should be given for recy-
Waste Code		: used product 080112, was in 08 01 11*	te paint and varnish other than those mentioned

### **SECTION 14: Transport information**

14.1 UN number or ID number		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good



## AVA AmphiColor Oxidgrün

	Version 2.0	Revision Date: 17.01.2023	SDS Number: 6000106	Date of last issue: 08.01.2021 Date of first issue: 21.11.2019
--	----------------	---------------------------	------------------------	---

IATA (Passenger) : Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

	he manufacture, placing on ain dangerous substances, ex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List o Concern for Authorization	f Substances of Very High (Article 59).	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
Regulation (EC) No 1005/ plete the ozone layer	2009 on substances that de-	:	Not applicable
Regulation (EU) 2019/102 tants (recast)	1 on persistent organic pollu-	:	Not applicable
REACH - List of substance (Annex XIV)	es subject to authorisation	:	None
Seveso III: Directive 2012/ pean Parliament and of the control of major-accident h dangerous substances.	e Council on the	Not	applicable
Water hazard class (Germ ny)			angering AwSV, Annex 1 (5.2)
	: BSW20 Coating mate	erials,	, water-based



## AVA AmphiColor Oxidgrün

Version	Revision Date:	SDS Number:	Date of last issue: 08.01.2021
2.0	17.01.2023	6000106	Date of first issue: 21.11.2019

Volatile organic compounds

: Directive 2004/42/EC < 0.1 % < 1 g/l

### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

### **SECTION 16: Other information**

Full text of H-Statements						
H301		Toxic if swallowed.				
H302	:	Harmful if swallowed.				
H310	:	Fatal in contact with skin.				
H311	:	Toxic in contact with skin.				
H314	:	Causes severe skin burns and eye damage.				
H315	:	Causes skin irritation.				
H317	:	May cause an allergic skin reaction.				
H318	:	Causes serious eye damage.				
H330	:	Fatal if inhaled.				
H400	:	Very toxic to aquatic life.				
H410	:	Very toxic to aquatic life with long lasting effects.				
H411	:	Toxic to aquatic life with long lasting effects.				
EUH071		Corrosive to the respiratory tract.				
Full text of other abbreviation	15					
Acute Tox.	:	Acute toxicity				
Aquatic Acute	:	Short-term (acute) aquatic hazard				
Aquatic Chronic	:	Long-term (chronic) aquatic hazard				
Eye Dam.	:	Serious eye damage				
Skin Corr.	:	Skin corrosion				
Skin Irrit.	:	Skin irritation				
Skin Sens.	:	Skin sensitization				
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers				
		from the risks related to exposure to carcinogens or mutagens				
		at work				
2006/15/EC	:	Europe. Indicative occupational exposure limit values				
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials				
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.				
2004/37/EC / TWA	:	Long term exposure limit				
2006/15/EC / TWA	:	Limit Value - eight hours				
	:	Assessment scale				
DE TRGS 900 / AGW	:	Time Weighted Average				



## AVA AmphiColor Oxidgrün

Version	Revision Date:	SDS Number:	Date of last issue: 08.01.2021
2.0	17.01.2023	6000106	Date of first issue: 21.11.2019

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Observable Effect Loading Rate; NZIAC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantita

### Further information

### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

### Sources of key data used to compile the Material Safety Data Sheet:

### ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

### Classification of the mixture:

### Classification procedure:

Skin Sens. 1 H317

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



## AVA AmphiColor Oxidgrün

Version	Revision Date:	SDS Number:	Date of last issue: 08.01.2021
2.0	17.01.2023	6000106	Date of first issue: 21.11.2019

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN