

Capaplex						
Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2021			
3.0	10.01.2023	6000742	Date of first issue: 09.08.2019			

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	duct identifier	1.1 Product
------------------------	-----------------	-------------

Trade name : Capaplex

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions	:	within adequate application - none

on use

1.3 Details of the supplier of the safety data sheet

Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone Telefax	:	+496154710 +4961547170222
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com

1.4 Emergency telephone

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary Statements		P101 If medical advice is needed, have product container or
Frecautionary Statements	· label a	label at hand.
		P102 Keep out of reach of children.

Additional Labeling



Capaplex					
Version Revision 3.0 10.01.20		Date of last issue: 24.03.2021 Date of first issue: 09.08.2019			

EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an aller-
	gic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,025 - < 0,05



Capaplex

Version 3.0	Revision Date: 10.01.2023		S Number: 0742		of last issue: 24.03.2021 of first issue: 09.08.2019	
meth	ion mass of 5-chloro-2 yl-2H-isothiazol-3-one yl-2H-isothiazol-3-one	and 2-	55965-84-9 613-167-00-5 01-2120764691-	-48	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures						
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.				
If inhaled	:	Move to fresh air.				
In case of skin contact	:	Do NOT use solvents or thinners.				

Capaplex



Version 3.0	Revision Date: 10.01.2023	SDS Number: 6000742	Date of last issue: 24.03.2021 Date of first issue: 09.08.2019
		In case of contac of water.	ct, immediately flush skin with soap and plenty
In case of eye contact		: If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses, if present and easy to do. Continue rinsing.	
If swallowed			vice. n water and drink afterwards plenty of water. NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

-			
	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	the	e substance or mixture
	Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3	Advice for firefighters		
	Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
	Further information	:	Standard procedure for chemical fires.

4/16

The product itself does not burn.



Capaplex

Version	Revision Date: 10.01.2023	SDS Number:	Date of last issue: 24.03.2021
3.0		6000742	Date of first issue: 09.08.2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions :	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.			
6.2 Environmental precautions				
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.			
6.3 Methods and material for containment and cleaning up				

Methods for cleaning up	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel,
	acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	For personal protection see section 8.
	No special technical protective measures required.
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage, inc	luding any incompatibilities
Requirements for storage : areas and containers	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.

Advice on common storage : Keep away from oxidizing agents and strongly acid or alkaline materials.



Capaplex

Version 3.0	Revision Date: 10.01.2023	SDS Number: 6000742	Date of last issue: 24.03.2021 Date of first issue: 09.08.2019
Storaç	ge class (TRGS 510)	: 12	
7.3 Specific end use(s) Specific use(s)		: This informatior	n is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
isobutyric acid, mo- noester with 2,2,4- trimethylpentane-1,3- diol		Inhalation	Long-term systemic effects	14,50 mg/m3
	Consumers	Ingestion	Long-term systemic effects	8,33 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	8,33 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	49,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	13,90 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
isobutyric acid, monoester with 2,2,4-trimethylpentane-1,3-diol	Fresh water sediment	0,78 mg/kg dry weight (d.w.)
	Sea water	0,0015 mg/l
	Sea sediment	0,078 mg/kg dry weight (d.w.)
	Soil	0,147 mg/kg dry weight (d.w.)
	Sewage treatment plant	7,5 mg/l
	Secondary Poisoning	66,7 mg/kg food
	Intermittent use/release 0,15 mg/l	
	Fresh water	0,015 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection



Capaplex

Version 3.0	Revision Date: 10.01.2023		S Number: 0742	Date of last issue: 24.03.2021 Date of first issue: 09.08.2019
Material : Glove thickness : Protective index :		:	Nitrile rubber 0,2 mm Class 3	
Remarks :			Wear suitable glo	gloves clean them with soap and water. ves tested to EN374. i 112-195 - Use of protective gloves
Skin and body protection			Safety shoes Long sleeved clot	hing
				ection according to the amount and con- langerous substance at the work place.
			Skin should be wa	ashed after contact.
Respiratory protection			No personal resp quired.	ratory protective equipment normally re-
			DGUV Regulatior	112-190 - Use of breathing equipment
			• • • • •	ication: Do not breathe spray dust. Use n filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	colorless
Odor	:	mild
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined



Capaplex

Vers 3.0	sion	Revision Date: 10.01.2023		S Number: 00742	Date of last issue: 24.03.2021 Date of first issue: 09.08.2019
	Decom	position temperature	:	Not applicable	
	рН		:	ca. 8,5 (20 °C) Concentration: 1	00 %
	Viscosi Visc	ty osity, dynamic	:	No data availabl	e
	Solubili Wat	ty(ies) er solubility	:	completely misci	ble
	Partitio octanol	n coefficient: n- /water	:	Not applicable	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Relative	e density	:	not determined	
	Density	,	:	1,0000 g/cm3	
	Relative	e vapor density	:	Not applicable	
9.2	Other in	formation			
	Explosi	ves	:	Not applicable	
	Oxidizir	ng properties	:	Not applicable	
	Flamma	ability (liquids)	:	The product is n	ot flammable.

SECTION 10: Stability and reactivity

IO.1 Reactivity No decomposition if stored and applied as directed.				
10.2 Chemical stability No decomposition if stored and applied as directed.				
10.3 Possibility of hazardous reacti	io	ns		
Hazardous reactions :	:	No decomposition if stored and applied as directed.		
10.4 Conditions to avoid				
Conditions to avoid :	:	Protect from frost, heat and sunlight.		
10.5 Incompatible materials Materials to avoid :	:	Incompatible with acids and bases.		



Capaplex

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2021
3.0	10.01.2023	6000742	Date of first issue: 09.08.2019

Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:					
Acute oral toxicity	: LD50 (Rat): 532 mg/kg				
Acute inhalation toxicity	: LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg				
reaction mass of 5-chloro-2-n (3:1):	nethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one				
Acute oral toxicity	: LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401				
Acute inhalation toxicity	: LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403				
Acute dermal toxicity	: LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402				
Skin corrosion/irritation					
Not classified based on availab	le information.				
Product:					

Product: Remarks

I

: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Serious eye damage/eye irritation

Not classified based on available information.



Capaplex							
Version 3.0	Revision Date: 10.01.2023	SDS Number: 6000742	Date of last issue: 24.03.2021 Date of first issue: 09.08.2019				
Respi	ratory or skin sensiti	zation					
Skin s	ensitization						
Not cla	assified based on avail	able information.					
Respir	ratory sensitization						
Not cla	assified based on avail	able information.					
Germ	cell mutagenicity						
Not cla	assified based on avail	able information.					
Carcin	ogenicity						
Not cla	assified based on avail	able information.					
Repro	ductive toxicity						
Not cla	assified based on avail	able information.					
STOT-	single exposure						
Not cla	Not classified based on available information.						
STOT-	STOT-repeated exposure						
Not cla	Not classified based on available information.						
Aspira	Aspiration toxicity						
Not cla	Not classified based on available information.						
11.2 Inform	11.2 Information on other hazards						

Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

SECTION 12: Ecological information

12.1 Toxicity

Components:

<u>components.</u>	
1,2-benzisothiazol-3(2H)-one:	
Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202



Capaplex

Version 3.0	Revision Date: 10.01.2023		DS Number: 000742	Date of last issue: 24.03.2021 Date of first issue: 09.08.2019
Toxic plants	ity to algae/aquatic s	:	Exposure time:	trum capricornutum (green algae)): 0,11 mg/l 72 h Test Guideline 201
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
react (3:1):		2-me	ethyl-2H-isothiaz	col-3-one and 2-methyl-2H-isothiazol-3-one
M-Fa icity)	ctor (Acute aquatic tox-	:	100	
M-Fa toxici	ctor (Chronic aquatic ty)	:	100	
	istence and degradabi ata available	lity		
12.3 Bioa	ccumulative potential			
<u>Com</u>	ponents:			
react (3:1):		2-me	ethyl-2H-isothiaz	col-3-one and 2-methyl-2H-isothiazol-3-one
Partit	ion coefficient: n- nol/water	:	log Pow: <= 0,7 Method: OECD	1 Test Guideline 117
	ility in soil ata available			
12.5 Resu	Ilts of PBT and vPvB a	sse	ssment	
<u>Prod</u>	uct:			
Asse	ssment	:	to be either pers	/mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 Endo	ocrine disrupting prope	ertie	s	
Prod	uct:			
Asse	ssment	:		mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

Capaplex



Version Revision Date: SDS Number: Date of last issue: 24.03.2021 10.01.2023 Date of first issue: 09.08.2019 3.0 6000742 (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. 12.7 Other adverse effects Product: Additional ecological infor-: An environmental hazard cannot be excluded in the event of mation unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1	Waste	treatment	methods
------	-------	-----------	---------

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADN ADR	:	Not regulated as a dangerous good Not regulated as a dangerous good
	: : :	
ADR	: : :	Not regulated as a dangerous good
ADR RID	: : : :	Not regulated as a dangerous good Not regulated as a dangerous good

:

ADN

Not regulated as a dangerous good



Capapl	ex		
Version 3.0	Revision Date: 10.01.2023		sue: 24.03.2021 sue: 09.08.2019
ADR		: Not regulated as a dangerous g	bod
RID		: Not regulated as a dangerous g	bod
IMDG	ì	: Not regulated as a dangerous g	bod
ΙΑΤΑ		: Not regulated as a dangerous g	bod
14.4 Pack	ing group		
ADN		: Not regulated as a dangerous g	bod
ADR		: Not regulated as a dangerous g	bod
RID		: Not regulated as a dangerous g	bod
IMDG	ì	: Not regulated as a dangerous g	bod
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous g	bod
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous g	bod
-	conmental hazards egulated as a dangero	s good	
14.6 Spec	ial precautions for ι	er	
Rema	arks	: Not classified as dangerous in the lations.	ne meaning of transport regu
14.7 Marit	ime transport in bul	according to IMO instruments	
Not a	pplicable for product a	supplied.	

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	 Conditions of restriction for the fol- lowing entries should be considered formaldehyde (Number on list 72, 28) 	:
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	: This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable	



Capaple	Capaplex						
Version 3.0	Revision Date: 10.01.2023	SDS Number: 6000742	Date of last issue: 24.03.2021 Date of first issue: 09.08.2019				
•	Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)						
	REACH - List of substances subject to authorisation : None (Annex XIV)						
pean F control	Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.						
Water ny)	Water hazard class (Germa- : WGK 2 obviously hazardous to water ny) Classification according to AwSV, Annex 1 (5.2)						
		: BSW20 Coating	materials, water-based				
Volatile	e organic compounds	: Directive 2004/42 < 1 % < 10 g/l	2/EC				

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 H302 H310 H314 H315 H317 H318 H330 H400 H410 H411 EUH071		Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Very toxic to aquatic life. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.			
Full text of other abbreviations					
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens.	: :	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitization			

Capaplex



Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2021
3.0	10.01.2023	6000742	Date of first issue: 09.08.2019

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Observable Effect Loading Rate; NZIAC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantita

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Capaplex

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2021
3.0	10.01.2023	6000742	Date of first issue: 09.08.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN