

Capalac AllGrund RAL 9005

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2020
2.0	26.01.2023	6003353	Date of first issue: 01.12.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SECTION 2: Hazards identifi	ication
1.4 Emergency telephone Emergency telephone 1	: +49613284463 GBK GmbH
E-mail address Responsi- ble/issuing person	: msds@dr-rmi.com
Telephone Telefax	64372 Ober-Ramstadt : +496154710 : +4961547170222
Company	: Caparol Farben Lacke GmbH Roßdörfer Straße 50
on use 1.3 Details of the supplier of th	e safety data sheet
Recommended restrictions	: within adequate application - none
1.2 Relevant identified uses of Use of the Sub- stance/Mixture	the substance or mixture and uses advised against : Solvent-borne coatings
1.1 Product identifier Trade name	: Capalac AllGrund RAL 9005

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)						
Flammable liquids, Category 3	H226: Flammable liquid and vapor.					
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.					
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.					

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)



Capalac AllGrund RAL 9005

Versio 2.0	on	Revision Date: 26.01.2023	-	DS Num 003353	nber:		e of last issue: 09.12.2020 e of first issue: 01.12.2019
Hazard pictograms		:					
S	Signal \	Word	:	Warnir	ıg		
F	Hazard	Statements	:	H226 H336 H412	May cause	dro	id and vapor. wsiness or dizziness. atic life with long lasting effects.
	Supple: Statem	mental Hazard ents	:	EUH06 drynes	6 s or cracking	g.	Repeated exposure may cause skin
P	Precaut	tionary Statements	:	P101 label a P102	t hand.		e is needed, have product container or the of children.
				Prever	ntion:		
				P210 flames P271	and other ig	gnitio	n heat, hot surfaces, sparks, open n sources. No smoking. ors or in a well-ventilated area.
				Respo P370 + alcoho	- P378 In		of fire: Use dry sand, dry chemical or co extinguish.
				Storag	le:		
				P405	Store locke	ed up).

Hazardous ingredients which must be listed on the label:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures



Capalac AllGrund RAL 9005

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2020
2.0	26.01.2023	6003353	Date of first issue: 01.12.2019

Chemical nature

: Primer based on alkyd resin linseed oil, solvent-containing

Components

Chemical name	CAS-No.	Classification	Concentration
Chemical hame		Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
Naphtha (petroleum), hydrotreat-	64742-48-9	Flam. Liq. 3; H226	>= 30 - < 50
ed heavy; Low boiling point ydro-	265-150-3	STOT SE 3; H336	
gen treated naphtha	649-327-00-6	Asp. Tox. 1; H304	
	01-2119457273-39,	EUH066	
	01-2119463258-33		
zinc oxide	1314-13-2	Aquatic Acute 1;	>= 1 - < 2,5
	215-222-5	H400	
	030-013-00-7	Aquatic Chronic 1;	
	01-2119463881-32,	H410	
	01-2120089607-43,	-	
	01-2120767291-53		
zinc 5-nitroisophthalate	60580-61-2	Aquatic Acute 1;	>= 0,25 - < 1
·	262-309-9	H400	
	01-2120768444-47	Aquatic Chronic 2;	
		H411	
trizinc bis(orthophosphate)	7779-90-0	Aquatic Acute 1;	>= 0,25 - < 1
	231-944-3	H400	
	030-011-00-6	Aquatic Chronic 1;	
	01-2119485044-40	H410	
Substances with a workplace expo	sure limit :	-	
Talc (Mg3H2(SiO3)4)	14807-96-6		>= 1 - < 10
	238-877-9		
	01-2120140278-58		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	 Call a physician. If breathing is irregular or stopped, administer artificial respiration. If unconscious, place in recovery position and seek medical advice.



Capalac AllGrund RAL 9005

Version 2.0	Revision Date: 26.01.2023		DS Number: 003353	Date of last issue: 09.12.2020 Date of first issue: 01.12.2019
			If symptoms persi Move to fresh air.	st, call a physician.
In case	e of skin contact	:	of water.	ents or thinners. , immediately flush skin with soap and plenty minated clothing immediately.
In case	e of eye contact	:	IF IN EYES: Rins	rsists: Get medical advice/ attention. e cautiously with water for several minutes. enses, if present and easy to do. Continue
If swallowed		:		rice. water and drink afterwards plenty of water. NOT induce vomiting.
4.2 Most im	portant symptoms a	nd e	effects, both acute	and delayed
Risks		:		iness or dizziness. re may cause skin dryness or cracking.
4.3 Indicati	on of any immediate	me	dical attention and	special treatment needed
Treatm	ent	:	No information av	ailable.

SECTION 5: Firefighting measures

5.1	Extinguishing media		
	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Do not use a solid water stream as it may scatter and spread fire.
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	the	substance or mixture
	Specific hazards during fire fighting	:	Cool closed containers exposed to fire with water spray. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar-

bons (smoke).



Capalac AllGrund RAL 9005 Version SDS Number: Revision Date: Date of last issue: 09.12.2020 2.0 26.01.2023 6003353 Date of first issue: 01.12.2019 5.3 Advice for firefighters Special protective equipment : In the event of fire, wear self-contained breathing apparatus. for fire-fighters Further information : Standard procedure for chemical fires. In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions :	Do not get in eyes, on skin, or on clothing. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure adequate ventilation. Remove all sources of ignition.				
6.2 Environmental precautions					
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.				
6.3 Methods and material for contai	nment and cleaning up				
Methods for cleaning up :	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).				

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling		Non-sparking tools should be used. For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms.	
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.	
Advice on protection against fire and explosion	:	Vapors may form explosive mixtures with air. Vapors are heavier than air and may spread along floors. Keep away from	



Capalac AllGrund RAL 9005

Version 2.0	Revision Date: 26.01.2023	SDS Number: 6003353	Date of last issue: 09.12.2020 Date of first issue: 01.12.2019
		heat, hot su sources. No	rfaces, sparks, open flames and other ignition smoking.
Hygiene measures		eating, drink using this pr	ct with the skin and the eyes. Wash hands before king, or smoking. Do not eat, drink or smoke when roduct. Remove contaminated clothing and protec- ent before entering eating areas.
7.2 Condi	tions for safe storage	, including any in	compatibilities
		dry, well ver and direct s	inal container. Store between 41 and 77 °F in a ntilated place away from sources of heat, ignition unlight. Containers which are opened must be sealed and kept upright to prevent leakage.
Stora	ge class (TRGS 510)	: 3	
-	f ic end use(s) ific use(s)	: This informa	ation is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Naphtha (petrole- um), hydrotreated heavy; Low boiling point ydrogen treated naphtha	64742-48-9	AGW	300 mg/m3	DE TRGS 900		
Peak-limit category: 2;(II)						
	Further inform	nation: Group exposu	ure limit for hydrocarbon solv	ent mixtures		
Talc (Mg3H2(SiO3)4)			10 mg/m3	DE TRGS 900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child AGW (Alveolate fraction) 1,25 mg/m3 000					
Peak-limit category: 2;(II)						
	Further information: When there is compliance with the OEL and biologic tolerance values, there is no risk of harming the unborn child					
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:





Capalac AllGrund RAL 9005

ersion 0	sion Revision Date: 26.01.2023			Date of last issue: 09.12.2020 Date of first issue: 01.12.2019			
Subst	ance name	End Use	Routes of expo- sure	Potential health ef- fects	Value 83,00 mg/kg bw/day		
zinc o	oxide	Consumers	Skin contact	Long-term systemic effects			
		Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3		
trizinc bis(orthophosphate)		Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day		
		Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day		
		Workers	Inhalation	Long-term local ef- fects	0,50 mg/m3		
		Workers	Inhalation	Long-term systemic effects	5,00 mg/m3		
		Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day		
		Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day		
		Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3		
		Workers	Inhalation	Long-term systemic effects	5,00 mg/m3		
		Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day		

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
zinc oxide	Fresh water sediment	117,8 mg/kg dry weight (d.w.)
	Sea water	6,1 µg/l
	Fresh water	20,6 µg/l
	Sea sediment	56,5 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 μg/l
	Soil	35,6 mg/kg dry weight (d.w.)
trizinc bis(orthophosphate)	Sea sediment	56,5 mg/kg dry weight (d.w.)
	Fresh water	20,6 µg/l
	Soil	35,6 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 μg/l
	Fresh water sediment	117,8 mg/kg dry weight (d.w.)
	Sea water	6,1 µg/l

8.2 Exposure controls

Personal protective equipment



Capalac AllGrund RAL 9005

Version 2.0	Revision Date: 26.01.2023		DS Number: 03353	Date of last issue: 09.12.2020 Date of first issue: 01.12.2019
Eye/face protection		:	DGUV Regulatior Goggles	n 112-192 - Use of eye and face protection
Hand protection Material Glove thickness Protective index		:	Nitrile rubber 0,2 mm Class 3	
Remarks		:	cation of degrada moving gloves cle ble gloves tested	discarded and replaced if there is any indi- tion or chemical breakthrough. Before re- ean them with soap and water. Wear suita- to EN374. 112-195 - Use of protective gloves
Skin and body protection		:	Safety shoes Long sleeved clot	hing
				tection according to the amount and con- dangerous substance at the work place.
			Skin should be wa	ashed after contact.
			During spray app	lication: impervious clothing
Respi	ratory protection	:	used under condi	or brushing: This product should not be tions of poor ventilation unless a protective ropriate gas filter (i.e. type A1 according to 37) is used.
			DGUV Regulatior	n 112-190 - Use of breathing equipment
				lication: Do not breathe spray dust. Use n filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined



Capalac AllGrund RAL 9005

Vers 2.0	sion	Revision Date: 26.01.2023		S Number: 03353	Date of last issue: 09.12.2020 Date of first issue: 01.12.2019
	Boiling	point/boiling range	:	not determined	
	Upper explosion limit / Upper flammability limit		:	not determined	
		explosion limit / Lower bility limit	:	not determined	
	Flash p	point	:	42,5 °C	
	Autoigr	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рH		:	6,95 Concentration: 1	0 %
	Viscosi Visc	ty cosity, dynamic	:	No data available	9
	Viso	cosity, kinematic	:	> 20,5 mm2/s (4	0 °C)
	Flow tir	ne	:	> 60 s at 23 °C Cross section: 6 Method: ISO 243	
	Solubili Wat	ty(ies) er solubility	:	partly miscible	
	Partitio octanol	n coefficient: n- /water	:	not determined	
	Vapor p	oressure	:	not determined	
	Relativ	e density	:	not determined	
	Density	/	:	1,2650 g/cm3	
	Relativ	e vapor density	:	Heavier than air.	
9.2	Other ir	formation			
	Explosi	ves	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	Sustains combus	stion



Capalac AllGrund RAL 9005						
Version 2.0	Revision Date: 26.01.2023	SDS Number: 6003353	Date of last issue: 09.12.2020 Date of first issue: 01.12.2019			
Evapo	pration rate	: Not applicab	le			
SECTION	I 10: Stability and re	activity				
10.1 Reac	tivity					
No de	composition if stored a	nd applied as direc	ted.			
10.2 Chen	nical stability					
No de	No decomposition if stored and applied as directed.					
10.3 Poss	ibility of hazardous re	actions				
Hazai	rdous reactions		form explosive mixture with air. lecomposition products formed under fire condi-			
10.4 Cond	litions to avoid					
Cond	itions to avoid	: Protect from	frost, heat and sunlight.			
10.5 Incor	npatible materials					
Mater	ials to avoid		e with acids and bases. e with oxidizing agents.			

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.



Capalac AllGrund RAL 9005

Version	Revision Date:
2.0	26.01.2023

SDS Number: 6003353

Date of last issue: 09.12.2020 Date of first issue: 01.12.2019

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Capalac AllGrund RAL 9005

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2020
2.0	26.01.2023	6003353	Date of first issue: 01.12.2019

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

J. I			
	Product	:	
			Waste should not be disposed of via wastewater.
	Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
	Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1263
ADR	:	UN 1263
RID	:	UN 1263
IMDG	:	UN 1263
ΙΑΤΑ	:	UN 1263
14.2 UN proper shipping name		
ADN	:	PAINT
ADR	:	PAINT
RID	:	PAINT



Capalac AllGrund RAL 9005

Version 2.0	Revision Date: 26.01.2023		0S Number: 03353	Date of last issue: 09.12.2020 Date of first issue: 01.12.2019
IMDG		:	PAINT	
ΙΑΤΑ		:	Paint	
4.3 Trans	port hazard class(es)			
			Class	Subsidiary risks
ADN		:	3	
ADR		:	3	
RID		:	3	
IMDG		:	3	
ΙΑΤΑ		:	3	
4.4 Packi	ng group			
Classi	ng group fication Code d Identification Number	:	III F1 30 3	
Classi Hazar Labels	ng group fication Code d Identification Number s el restriction code	:	III F1 30 3 (D/E)	
Classi	ng group fication Code d Identification Number	:	III F1 30 3	
IMDG Packir Labels EmS (ng group S	:	III 3 F-E, <u>S-E</u>	
	(Cargo) ng instruction (cargo	:	366	
Packir	ng instruction (LQ) ng group	:	Y344 III Flammable Liquid	s
Packir ger aii Packir	(Passenger) ng instruction (passen- rcraft) ng instruction (LQ) ng group	:	355 Y344 III	





Capalac AllGrund RAL 9005

Versio 2.0	n Revision Date: 26.01.2023		DS Number: 003353	Date of last issue: 09.12.2020 Date of first issue: 01.12.2019
La	abels	:	Flammable Liqui	ds
14.5 E	nvironmental hazards			
	DN nvironmentally hazardous	:	no	
	DR nvironmentally hazardous	:	no	
	D	:	no	
	IDG arine pollutant	:	no	
14.6 S	pecial precautions for us	er		
R	emarks	:	goods/merchand	smaller than or equal to 450 liters, not

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable



Ca	palac	AllGrund RAL	90	05		
Vers 2.0	ion	Revision Date: 26.01.2023		DS Number: 03353	-	Date of last issue: 09.12.2020 Date of first issue: 01.12.2019
	REACI (Annex	H - List of substances s XIV)	ubj	ect to authorisa	ation	: None
	pean F control	o III: Directive 2012/18/ Parliament and of the Co of major-accident haza rous substances.	oun	cil on the	P5c	FLAMMABLE LIQUIDS
					34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar proper- ties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
	Water ny)	hazard class (Germa-	:			azardous to water ding to AwSV, Annex 1 (5.2)
		et code for laquers and / Giscode	:	M-GP02 Solv moved	ent-ba	used primers, pigmented, aromatics re-
			:	BSL40 Coatir free, classifie		erials, strongly solvent-based, aromatic-
	Volatile	e organic compounds	:	Directive 200 < 36 % < 460 g/l	4/42/E	C

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H226 :	Flammable liquid and vapor.
H304 :	May be fatal if swallowed and enters airways.
H336 :	May cause drowsiness or dizziness.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.



Capalac AllGrund RAL 9005

Version 2.0	Revision Date: 26.01.2023		DS Number: 003353	Date of last issue: 09.12.2020 Date of first issue: 01.12.2019
H411 EUH0	66	:		fe with long lasting effects. Ire may cause skin dryness or cracking.
Full to	ext of other abbreviat	ions		
	ic Acute	:	: Short-term (acute) aquatic hazard	
Aquat	ic Chronic	: Long-term (chronic) aquatic hazard		ic) aquatic hazard
Asp.	Гох.	:	: Aspiration hazard	
Flam.	Liq.	:	: Flammable liquids	
STOT	SÉ	: Specific target organ toxicity - single exposure		gan toxicity - single exposure
DE TI	RGS 527	: Germany. TRGS 527 - Activities with nanomaterials		
DE TI	RGS 900	:		
DE TI	RGS 527 / BM	:	Assessment scale	· ·
DE TI	RGS 900 / AGW	:	Time Weighted A	verage

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with %% response; ELX - Loading rate associated with %% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with %% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IESC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Nilippines Inventory of Chemicals and Chemcal Substances; (Q)SAR - (

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network



Capalac AllGrund RAL 9005

Version	Revision Date:	SDS Number:	Date of last issue: 09.12.2020
2.0	26.01.2023	6003353	Date of first issue: 01.12.2019

Classification of the r	nixture:	Classification procedure:
Flam. Liq. 3	H226	Based on product data or assessment
STOT SE 3	H336	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN