according to Regulation (EC) No. 1907/2006



Capatect Fugenschlämme Keramik 083

Version **Revision Date:** Print Date Date of last issue: -

1.0 15.03.2019 16.03.2019 Date of first issue: 15.03.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Capatect Fugenschlämme Keramik 083

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Cement

stance/Mixture

Recommended restrictions

on use

: within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company : Caparol Farben Lacke GmbH

> Roßdörfer Straße 50 64372 Ober-Ramstadt

Telephone : +496154710 Telefax : +49615471222 E-mail address Responsi-: msds@dr-rmi.com

ble/issuing person

1.4 Emergency telephone number

Emergency telephone num-: +49615471202

ber 1

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

Specific target organ toxicity - single ex-H335: May cause respiratory irritation.

posure, Category 3, Respiratory system

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Capatect Fugenschlämme Keramik 083

Version **Revision Date:** Print Date Date of last issue: -

15.03.2019 16.03.2019 Date of first issue: 15.03.2019 1.0

Hazard pictograms





Signal word Danger

Hazard statements H315 Causes skin irritation.

> Causes serious eye damage. H318 H335 May cause respiratory irritation.

Precautionary statements P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

Prevention:

P260 Do not breathe dust or mist.

P271 Use only outdoors or in a well-ventilated area.

Wear protective gloves/ eye protection. P280

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/doctor.

Storage:

P405 Store locked up.

Hazardous components which must be listed on the label:

Cement, portland, chemicals

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

Aqueous cement suspensions have an alkaline effect.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Cement, portland, chemicals	65997-15-1 266-043-4	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335	>= 20 - < 30

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006

Capatect Fugenschlämme Keramik 083

Version Revision Date: Print Date Date of last issue: -

1.0 15.03.2019 16.03.2019 Date of first issue: 15.03.2019

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : First aider needs to protect himself.

Move out of dangerous area.

Never give anything by mouth to an unconscious person.

If inhaled : If breathed in, move person into fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

If symptoms persist, call a physician.

In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

If eye irritation persists: Get medical advice/ attention.

If swallowed, DO NOT induce vomiting.

Clean mouth with water and drink afterwards plenty of water.

Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks : The powder (combined with perspiration) can form an alkaline

solution. That may cause skin irritation.

Eye contact with the powder (dry or wet) may cause serious

and potentially irreversible injuries.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Not combustible.

Unsuitable extinguishing

media

Not applicable

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Aqueous cement suspensions have an alkaline effect. Even diluted mixed products containing cement can cause

irritation.

5.3 Advice for firefighters

Further information : The product itself does not burn.

Fire residues and contaminated fire extinguishing water must

according to Regulation (EC) No. 1907/2006

Capatect Fugenschlämme Keramik 083

Version Revision Date: Print Date Date of last issue: -

1.0 15.03.2019 16.03.2019 Date of first issue: 15.03.2019

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.

Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Collect spilled product while avoiding dust formation and dis-

pose of it as described in Section 13.

Prevent dust from forming and collect any dust mechanically.

6.4 Reference to other sections

For disposal considerations see section 13., For further information see Section 7 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid creating dust.

Avoid contact with skin and eyes.

Even diluted mixed products containing cement can cause

irritation.

For personal protection see section 8.

Advice on protection against :

fire and explosion

The product is not flammable.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash

hands before eating, drinking, or smoking.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Keep in a dry, cool place. Observe label precautions.

Advice on common storage : Do not store together with acids and ammonium salts.

Never allow product to get in contact with water during stor-

age.

Storage class (TRGS 510) : 13, Non Combustible Solids

according to Regulation (EC) No. 1907/2006

Capatect Fugenschlämme Keramik 083

Version Revision Date: Print Date Date of last issue: -

1.0 15.03.2019 16.03.2019 Date of first issue: 15.03.2019

Further information on stor-

age stability

Aqueous cement suspensions have an alkaline effect.

7.3 Specific end use(s)

Specific use(s) : Please follow the technical information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

Eye protection : If dust develops or there is a danger of splashing, use protec-

tive goggles with side protection.

German trade association rules - BGR 192 Eye protection

Safety glasses

Hand protection

Material : nitrile coated cotton gloves

Break through time : > 480 min Glove thickness : 0,8 mm Protective index : Class 6

Remarks : No chemical protection gloves (cat. III according to EN374)

are necessary. If the chemical has soaked through to the skin, the gloves must be removed and disposed. Keep a

spare pair of gloves handy.

Skin and body protection : Long sleeved clothing

Safety shoes

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Remove and wash contaminated clothing before re-use.

Skin should be washed after contact.

Respiratory protection : Breathing apparatus only if aerosol or dust is formed.

Do not breathe dust.

Filter type : Half mask with a particle filter P2 (EN 143)

German trade association rules - BGR 190 Breathing protec-

tion

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : powder

according to Regulation (EC) No. 1907/2006

Capatect Fugenschlämme Keramik 083

Version Revision Date: Print Date Date of last issue: -

1.0 15.03.2019 16.03.2019 Date of first issue: 15.03.2019

Colour : No data available

Odour : slight, cement-like

Odour Threshold : Not relevant

pH : ca. 11 - 13,5

in contact with water

Melting point/freezing point : Not applicable

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower

flammability limit

not determined

Vapour pressure : not determined

Relative vapour density : not determined

Relative density : not determined

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

not determined

Auto-ignition temperature : not determined

Decomposition temperature : Not applicable

Viscosity

Viscosity, dynamic : Not applicable

Explosive properties : Not applicable

Oxidizing properties : Not applicable

9.2 Other information

Self-ignition : Not applicable

according to Regulation (EC) No. 1907/2006

Capatect Fugenschlämme Keramik 083

Version Revision Date: Print Date Date of last issue: -

1.0 15.03.2019 16.03.2019 Date of first issue: 15.03.2019

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Exposure to air or moisture over prolonged periods.

10.5 Incompatible materials

Materials to avoid : Ammonium salts

Acids Aluminium

humid air and water

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute inhalation toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : Remarks: Based on available data, the classification criteria

are not met.

Skin corrosion/irritation

Product:

Remarks : May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks : May cause irreversible eye damage.

according to Regulation (EC) No. 1907/2006

Capatect Fugenschlämme Keramik 083

Version Revision Date: Print Date Date of last issue: -

1.0 15.03.2019 16.03.2019 Date of first issue: 15.03.2019

Respiratory or skin sensitisation

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : Remarks: No data is available on the product itself.

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Can be landfilled after concentration, when in compliance with

local regulations.

Waste should not be disposed of via wastewater.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Waste Code : used product

170904, mixed construction and demolition wastes other than

those mentioned in 17 09 01, 17 09 02 and 17 09 03

unused product

170903*, other construction and demolition wastes (including

according to Regulation (EC) No. 1907/2006

Capatect Fugenschlämme Keramik 083

Version **Revision Date:** Print Date Date of last issue: -

15.03.2019 16.03.2019 Date of first issue: 15.03.2019 1.0

mixed wastes) containing dangerous substances

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks see sections 6-8

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener-

ated.

REACH - List of substances subject to authorisation None

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water contaminating class : 1 slightly water endangering

(Germany)

paints / Giscode

Product code for laquers and : ZP1 Products containing cement, low in chromate

: ZP1 Products containing cement, low in chromate

Volatile organic compounds : 0%

< 1 g/l

according to Regulation (EC) No. 1907/2006

Capatect Fugenschlämme Keramik 083

Version Revision Date: Print Date Date of last issue: -

1.0 15.03.2019 16.03.2019 Date of first issue: 15.03.2019

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H315 : Causes skin irritation.

H318 : Causes serious eye damage. H335 : May cause respiratory irritation.

Full text of other abbreviations

Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation

STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISC1 - International Maritime Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Concentration; PCCS - Philippines Inventory of Chemicals and Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Phi

Further information

Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Calculation method
Eye Dam. 1 H318 Calculation method
STOT SE 3 H335 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

according to Regulation (EC) No. 1907/2006

Capatect Fugenschlämme Keramik 083

Version Revision Date: Print Date Date of last issue: -

1.0 15.03.2019 16.03.2019 Date of first issue: 15.03.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly. This will be put into practice depending on the register-deadline of the substances involved during the transition period from December 1, 2010 till May 31, 2018.

DE / EN