Latex Satin 20



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001482	Date of first issue: 12.12.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Latex Satin 20
1.2 Relevant identified uses of t	the s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone	:	+496154710
Telefax	:	+4961547170222
Website E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone		

1.4 Emergency telephone

Emergency telephone 1	: +49613284463 GBK GmbH
-----------------------	-------------------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labeling

- EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Latex Satin 20



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001482	Date of first issue: 12.12.2019

breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Emulsion paint, aqueous

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		
	Registration number		
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 20
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,025 - < 0,05

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Latex Satin 20



rsion	Revision Date: 13.02.2024		8 Number: 1482	Date of last issue: 23.02.2023 Date of first issue: 12.12.2019	
methy	on mass of 5-chloro-2 /I-2H-isothiazol-3-one /I-2H-isothiazol-3-one	and 2-	55965-84-9 613-167-00-5 01-2120764691-	Acute Tox. 2; H330 Acute Tox. 2; H310	>= 0,0002 0,0015
	ances with a workplace	ce expo			. 1 . 4
kaolin	I		1332-58-7 310-194-1		>= 1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.

Latex Satin 20



Version 7.0	Revision Date: 13.02.2024		DS Number: 001482	Date of last issue: 23.02.2023 Date of first issue: 12.12.2019
In cas	e of skin contact	:	Do NOT use solv In case of contac of water.	ents or thinners. t, immediately flush skin with soap and plenty
In cas	In case of eye contact		IF IN EYES: Rins	rsists: Get medical advice/ attention. e cautiously with water for several minutes. enses, if present and easy to do. Continue
lf swa	llowed	:		vice. water and drink afterwards plenty of water. NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.		
Unsuitable extinguishing media	:	None known.		
5.2 Special hazards arising from the substance or mixture				

Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
---------------------------------------	---	---

5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

Latex Satin 20



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001482	Date of first issue: 12.12.2019

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing. 				
6.2 Environmental precautions Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.			
6.3 Methods and material for containment and cleaning up Methods for cleaning up : Keep in suitable, closed containers for disposal.				
Methods for cleaning up :	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).			

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	For personal protection see section 8. No special technical protective measures required.
	In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage, in	cluding any incompatibilities
Requirements for storage : areas and containers	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510) :	

Latex Satin 20



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001482	Date of first issue: 12.12.2019

7.3 Specific end use(s)

Specific use(s)

: This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis		
e compensation	• • • • • • • • • • • • • • • • • • • •	of exposure)		20.010		
titanium dioxide; [in	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS		
powder form con-		fraction)	(Titanium dioxide)	900		
taining 1 % or		,				
more of particles						
with aerodynamic						
diameter ≤ 10 µm]						
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological					
	tolerance values, there is no risk of harming the unborn child					
		AGW (Alveolate	1,25 mg/m3	DE TRGS		
		fraction) (Titanium dioxide) 900		900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological					
	tolerance values, there is no risk of harming the unborn child					
		BM (Alveolar 0,5 mg/m3 DE		DE TRGS		
		dust fraction)		527		
kaolin	1332-58-7	TWA (Respirable	0,1 mg/m3	2004/37/EC		
		dust)				
	Further information: Carcinogens or mutagens					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Latex Satin 20



/ersion ′.0	Revision Date: 13.02.2024	-	0S Number: 01482	Date of last issue: 23.02 Date of first issue: 12.12	
			Sea water		weight (d.w.) 0,0184 mg/l
			Fresh water	sediment	1000 mg/kg dry weight (d.w.)
			Sea sedimen		100 mg/kg dry weight (d.w.)
.2 Expos	ure controls		Intermittent u	se/release	0,193 mg/l
	onal protective equip	ment			
Eye/fa	ace protection	:	DGUV Regula	ion 112-192 - Use of eye ar	nd face protection
			Goggles		
Ma Glo	protection aterial ove thickness otective index	:	Nitrile rubber 0,2 mm Class 3		
Re	marks	:	Wear suitable	ng gloves clean them with so gloves tested to EN374. ion 112-195 - Use of protec	
Skin a	and body protection	:	Safety shoes Long sleeved o	clothing	
				protection according to the a e dangerous substance at t	
			Skin should be	washed after contact.	
Respi	ratory protection	:	No personal re quired.	spiratory protective equipme	ent normally re-
				pplication: Do not breathe s ation filter for paint spraying.	
			DGUV Regula	ion 112-190 - Use of breath	ing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid	
Color	: white	
Odor	: characteristic	

Latex Satin 20



Vers 7.0	sion	Revision Date: 13.02.2024		S Number:)1482	Date of last issue: 23.02.2023 Date of first issue: 12.12.2019
	Melting	point/freezing point	:	ca. 0 °C	
	Boiling	point/boiling range	:	ca. 100 °C	
	Upper e flamma	explosion limit / Upper bility limit	:	not determined	
		explosion limit / Lower bility limit	:	not determined	
	Flash p	oint	:	Not applicable	
	Autoign	ition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	Concentration: 1	00 % ISO 19396-1:2020-05
	Viscosi	ty			
	Visc	osity, dynamic	:	> 100 mPa.s (20 Method: ISO 321	
	Visc	osity, kinematic	:	not determined	
	Flow tin	ne	:	not determined	
	Solubili Wat	ty(ies) er solubility	:	completely misci	ble
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Relative	e density	:	not determined	

Latex Satin 20



7.0	Revision Date: 13.02.2024	SDS Number: 6001482	Date of last issue: 23.02.2023 Date of first issue: 12.12.2019
Densit	У	: 1,39 g/cm Method: D	3 (20 °C) IN EN ISO 2811-1
Bulk d	ensity	: Not applic	able
Relativ	ve vapor density	: Not applic	able
9.2 Other i	nformation		
Explos	sives	: Not applic	able
Oxidiz	ing properties	: Not applic	able
Flamm	nability (liquids)	: The produ	ct is not flammable.
	10: Stability and	roootivity	

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions :		No decomposition if stored and applied as directed.
-----------------------	--	---

10.4 Conditions to avoid

Conditions to avoid	: Protect from frost, heat and sunlight.
---------------------	--

10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

Latex Satin 20



Version	Revision Date:	SDS I
7.0	13.02.2024	60014

SDS Number: 6001482

Date of last issue: 23.02.2023 Date of first issue: 12.12.2019

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity						
Not classified based on availab	ble	information.				
Components:						
1,2-benzisothiazol-3(2H)-one):					
Acute oral toxicity	:	LD50 (Rat): 532 mg/kg				
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg				
reaction mass of 5-chloro-2- (3:1):	me	thyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one				
Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401				
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403				
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402				
Skin corrosion/irritation						
Not classified based on availab	ble	information.				
Serious eye damage/eye irrit	tati	on				
Not classified based on availab	ble	information.				
Respiratory or skin sensitiza	atio	n				
Skin sensitization	Skin sensitization					
Not classified based on available information.						
Respiratory sensitization						
Not classified based on availab	Not classified based on available information.					
Germ cell mutagenicity	Germ cell mutagenicity					
Not classified based on availab	ble	information.				
Carcinogenicity						
Not classified based on availab	ble	information.				

Latex Satin 20



Version	Revision Date:	SDS Number:
7.0	13.02.2024	6001482

Date of last issue: 23.02.2023 Date of first issue: 12.12.2019

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

:

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Latex Satin 20



Lutox				
Version 7.0	Revision Date: 13.02.2024		DS Number: 001482	Date of last issue: 23.02.2023 Date of first issue: 12.12.2019
M-Fa icity)	actor (Acute aquatic tox-	:	100	
M-Fa toxic	actor (Chronic aquatic ity)	:	100	
12.2 Pers	sistence and degradabi	lity		
No d	ata available			
12.3 Bioa	accumulative potential			
<u>Com</u>	ponents:			
1,2-k	penzisothiazol-3(2H)-on	ne:		
	tion coefficient: n- nol/water	:	log Pow: 0,63 · pH: 7	0,76
reac (3:1)		2-me	ethyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
	tion coefficient: n- nol/water	:		75) Test Guideline 117
	ility in soil			
	ata available ults of PBT and vPvB a		comont	
		335	SSILIEIII	
<u>Proc</u> Asse	luct: essment	:	to be either pe	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 End	ocrine disrupting prope	ertie	es	
Proc	luct:			
Asse	essment	:	ered to have end REACH Article	/mixture does not contain components consid- ndocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 at or higher.
12.7 Othe	er adverse effects			
Proc	luct:			
	tional ecological infor-	:		tal hazard cannot be excluded in the event of handling or disposal.

Latex Satin 20



Version Revision Date: 7.0 13.02.2024 SDS Number: 6001482 Date of last issue: 23.02.2023 Date of first issue: 12.12.2019

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
		40/47

Latex Satin 20



Version 7.0	Revision Date: 13.02.2024	SDS Number: 6001482	Date of last issue: 23.02.2023 Date of first issue: 12.12.2019		
IMDG	3	: Not regulate	d as a dangerous good		
ΙΑΤΑ	(Cargo)	: Not regulate	: Not regulated as a dangerous good		
ΙΑΤΑ	(Passenger)	: Not regulate	d as a dangerous good		
	ronmental hazards egulated as a dangero	us good			
14.6 Spec	ial precautions for u	ser			
Rema	arks	: Not classifie lations.	d as dangerous in the meaning of transport regu-		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

E				
the	ACH - Restrictions on the manufac market and use of certain dangero tures and articles (Annex XVII)		:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
	ACH - Candidate List of Substance ncern for Authorization (Article 59).	, .	:	None
	gulation (EC) No 1005/2009 on sub te the ozone layer	ostances that de-	:	Not applicable
	gulation (EU) 2019/1021 on persist ts (recast)	tent organic pollu-	:	Not applicable
	ACH - List of substances subject to nex XIV)	o authorisation	:	None
pea cor	veso III: Directive 2012/18/EU of th an Parliament and of the Council or atrol of major-accident hazards invo agerous substances.	n the	Not	applicable
Wa ny)	•	GK 2 obviously haza assification accordin		us to water AwSV, Annex 1 (5.2)
Pro	duct code for laquers and : M-I	DF01 Water-based	pain	ts, solvent-free

paints / Giscode

Latex Satin 20



Version 7.0	Revision Date: 13.02.2024	SDS Number: 6001482	Date of last issue: 23.02.2023 Date of first issue: 12.12.2019
		: BSW20 Coating	g materials, water-based
Volatil	le organic compounds	emissions (integ	75/EU of 24 November 2010 on industrial grated pollution prevention and control) compounds (VOC) content: 0,04 %
Volatil	le organic compounds	: Directive 2004/4 < 0.1 % < 1 g/l	42/EC

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 H302 H310 H314 H315 H317 H318 H330 H351 H400 H410 H411 EUH071	:	Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Suspected of causing cancer if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.
Full text of other abbreviati	ons	
Acute Tox.	:	Acute toxicity
Aquatic Acute	÷	Short-term (acute) aquatic hazard
Aquatic Chronic Carc.	:	Long-term (chronic) aquatic hazard Carcinogenicity
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	÷	Skin sensitization
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
DE TRGS 527 DE TRGS 900 2004/37/EC / TWA DE TRGS 527 / BM DE TRGS 900 / AGW	:	Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Long term exposure limit Assessment scale Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Latex Satin 20



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001482	Date of first issue: 12.12.2019

German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration, ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Miritime Organization; IECSC - Inventry and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; DS0 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; no.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Substances of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; T

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Latex Satin 20



Version	Revision Date:	SDS Number:	Date of last issue: 23.02.2023
7.0	13.02.2024	6001482	Date of first issue: 12.12.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN