

Version	Revision Date:	Print Date	Date of last issue: 07.04.2021
3.0	02.08.2021	03.08.2021	Date of first issue: 02.09.2019

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	Capadecor ArteTwin Basic
1.2 Relevant identified	uses of the s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restron on use	ictions :	within adequate application - none
1.3 Details of the supplie Company		data sheet Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone Telefax E-mail address Resp ble/issuing person	:	+496154710 +4961547170222 msds@dr-rmi.com
1.4 Emergency telephon Emergency telephon		+49613284463 GBK GmbH

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary Statements	:	P101 If medical advice is needed, have product container or label at hand.
·		P102 Keep out of reach of children.

#### **Additional Labeling**

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



Version	Revision Date:	Print Date	Date of last issue: 07.04.2021
3.0	02.08.2021	03.08.2021	Date of first issue: 02.09.2019

EUH208	Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an aller-
	gic reaction.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification	Concentration
	Index-No. Registration number		(% w/w)
titanium dioxide	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration	>= 0,0025 - < 0,025



rsion )	Revision Date: 02.08.2021			Date of last issue: 07.04.2021 Date of first issue: 02.09.2019
				limit Skin Sens. 1; H317 >= 0,05 %
meth	ion mass of 5-chloro-2 yl-2H-isothiazol-3-one yl-2H-isothiazol-3-one	and 2-	55965-84-9 613-167-00-5 01-2120764691-4	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 Specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %
	tances with a workplac			
Kiese	lguhr, soda ash flux-c	alcined	68855-54-9 272-489-0 21-2119488518-2	>= 1 - < 10

For explanation of abbreviations see section 16.

:

## **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where



Version 3.0	Revision Date: 02.08.2021		int Date 3.08.2021	Date of last issue: 07.04.2021 Date of first issue: 02.09.2019
			possible). Move out of dang First aider needs	erous area. to protect himself.
lf inha	lled	:	Move to fresh air.	
In cas	e of skin contact	:	Do NOT use solv In case of contact of water.	ents or thinners. t, immediately flush skin with soap and plenty
In cas	e of eye contact	:	IF IN EYES: Rins	rsists: Get medical advice/ attention. e cautiously with water for several minutes. enses, if present and easy to do. Continue
lf swa	llowed	:		vice. water and drink afterwards plenty of water. NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### **4.3 Indication of any immediate medical attention and special treatment needed** Treatment : No information available.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing	media	
Suitable exting	uishing media :	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Unsuitable exti media	nguishing :	None known.
5.2 Special hazard	s arising from the	e substance or mixture
Specific hazarc fighting	ls during fire :	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firef Special protect for fire-fighters	<b>ighters</b> ive equipment :	Wear self-contained breathing apparatus for firefighting if nec- essary.



Capade	Capadecor ArteTwin Basic				
Version 3.0	Revision Date: 02.08.2021	Print Date 03.08.2021	Date of last issue: 07.04.2021 Date of first issue: 02.09.2019		
Further information			: Standard procedure for chemical fires. The product itself does not burn.		
SECTION	I 6: Accidental relea	ise measures			
6.1 Perso	nal precautions, prote	ective equipment a	nd emergency procedures		
Perso	nal precautions	Material can o	e shoes or boots with rough rubber sole. create slippery conditions. eyes, on skin, or on clothing.		
6.2 Enviro	onmental precautions				
Enviro	onmental precautions		er leakage or spillage if safe to do so. contaminates rivers and lakes or drains inform		

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

respective authorities.

Do not flush into surface water or sanitary sewer system.

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		In addition, the current technical information for this product and its application on www.caparol.com must be observed.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline



Version 3.0	Revision Date: 02.08.2021	Print Date 03.08.2021	Date of last issue: 07.04.2021 Date of first issue: 02.09.2019
		materials.	
Storag	e class (TRGS 510)	: 12, Non Cor	nbustible Liquids
7.3 Specific end use(s) Specific use(s)		: This informa	tion is not available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Kieselguhr, soda	68855-54-9	AGW (Alveolate	0,3 mg/m3	DE TRGS	
ash flux-calcined		fraction)		900	
	tolerance value earth can, dep to a higher co cristobalite. In part (limit value cristobalite an be established place dangerd	tes, there is no risk opending on its origin, ntent of cristobalite, examining the expo le for diatomeous ea id quartz content (ca d., Senate commission ous for the health (M.	,	Diatomeous g of silica leads up to 60 vol.% the amorphous the total of the iS 906) should nds at the work	
titanium dioxide	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS	
			ction) (Titanium dioxide)		
	Peak-limit category: 2;(II)				
		AGW (Alveolate	1,25 mg/m3	DE TRGS	
		fraction)	(Titanium dioxide)	900	
	Peak-limit category: 2;(II)				

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
Kieselguhr, soda ash	Consumers	Ingestion	Long-term systemic	18,70 mg/kg
flux-calcined			effects	bw/day
	Consumers	Inhalation	Long-term systemic effects	0,05 mg/m3
	Workers	Inhalation	Long-term systemic effects	0,05 mg/m3
calcium carbonate	Consumers	Ingestion	Long-term systemic effects	6,10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Acute systemic ef-	6,10 mg/kg
			fects	bw/day



Version 3.0	Revision Date: 02.08.2021	Print Date 03.08.202		Date of last issue: 07.04.2021 Date of first issue: 02.09.2019	
		Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
titaniu	um dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
		Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Kieselguhr, soda ash flux- calcined	Sewage treatment plant	100 mg/l
calcium carbonate	Sewage treatment plant	100 mg/l
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

#### 8.2 Exposure controls

Personal protective equipment				
Eye protection	:	German trade association rules - BGR 192 Eye protection		
		Goggles		
Hand protection Material Glove thickness Protective index	: :	Nitrile rubber 0,2 mm Class 3		
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. German trade association leaflet: Carry gloves (ZH 1/706)		
Skin and body protection	:	Safety shoes Long sleeved clothing		
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.		
		Skin should be washed after contact.		
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.		



Version	Revision Date:	Print Date	Date of last issue: 07.04.2021
3.0	02.08.2021	03.08.2021	Date of first issue: 02.09.2019

German trade association rules - BGR 190 Breathing protection

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	not determined
Vapor pressure	:	not determined



Version 3.0	Revision Date: 02.08.2021	Print Date 03.08.2021	Date of last issue: 07.04.2021 Date of first issue: 02.09.2019	
Relati	ive density	: not determine	d	
	ive vapor density	: not determine	-	
<b>9.2 Other</b> Explo	<b>information</b> sives	: Not applicable	9	
Oxidi	zing properties	: Not applicable	)	
Flam	mability (liquids)	: The product is	not flammable.	
Evap	oration rate	: Not applicable	)	

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions					
Hazardous reactions	:	No decomposition if stored and applied as directed.			
10.4 Conditions to avoid					
Conditions to avoid	:	Protect from frost, heat and sunlight.			

## 10.5 Incompatible materials

Materials to avoid	:	Incompatible with acids and bases.
		Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

#### Product:

Acute oral toxicity

: Remarks: Based on available data, the classification criteria are not met.



ersion )	Revision Date: 02.08.2021		int Date .08.2021	Date of last issue: 07.04.2021 Date of first issue: 02.09.2019
Acute	inhalation toxicity	:	Remarks: Ba are not met.	used on available data, the classification criteria
Acute dermal toxicity		:	Remarks: Ba are not met.	used on available data, the classification criterion
<u>Com</u>	oonents:			
1,2-b	enzisothiazol-3(2H)-	one:		
Acute	oral toxicity	:	LD50 (Rat):	532 mg/kg
Acute	inhalation toxicity	:	LC50 (Rat): ( Exposure tim Test atmospl	
Acute	dermal toxicity	:	LD50 (Rat): :	> 2.000 mg/kg
react (3:1):	ion mass of 5-chloro	-2-me	ethyl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-o
Acute	oral toxicity	:	LD50 (Rat): 6 Method: OE0	66 mg/kg CD Test Guideline 401
Acute	inhalation toxicity	:	Exposure tim Test atmospl	
Acute	dermal toxicity	:	LD50 (Rat): : Method: OE0	> 141 mg/kg CD Test Guideline 402
Skin	corrosion/irritation			
Produ	uct:			
Rema		:		the classification criteria of the European Unic s not considered as being a skin irritant.
Serio	us eye damage/eye	rritati	on	
Produ	uct:			
Rema	arks	:		the classification criteria of the European Unic s not considered as being an eye irritant.
Resp	iratory or skin sensi	tizatio	on	
Produ	uct:			
Rema		:	Repeated co ceptible pers	ntact may cause allergic reactions in very sus-



Version	Revision Date:	Print Date	Date of last issue: 07.04.2021
3.0	02.08.2021	03.08.2021	Date of first issue: 02.09.2019

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

Product:	

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

•				
Product:				
Toxicity to fish :	Remarks: No data available			
Toxicity to daphnia and other : aquatic invertebrates	Remarks: No data available			
Components:				
1,2-benzisothiazol-3(2H)-one:				
Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203			
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202			
Toxicity to algae/aquatic : plants	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201			
M-Factor (Acute aquatic tox- : icity)	1			
M-Factor (Chronic aquatic : toxicity)	1			
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):				
M-Factor (Acute aquatic tox- :	100			

icity)



Version	Revision Date:	Print Date	Date of last issue: 07.04.2021	
3.0	02.08.2021	03.08.2021	Date of first issue: 02.09.2019	

M-Factor (Chronic aquatic : 100 toxicity)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

#### **Components:**

# reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-	:	log Pow: <= 0,71
octanol/water		Method: OECD Test Guideline 117

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : .



Version 3.0	Revision Date: 02.08.2021	Print Date 03.08.2021	Date of last issue: 07.04.2021 Date of first issue: 02.09.2019	
		Waste should	not be disposed of via wastewater.	
Contaminated packaging		: Only completely emptied containers should be given for recy- cling.		
Waste Code		: used product 080112, waste in 08 01 11*	e paint and varnish other than those mentioned	

#### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	: This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.



#### Capadecor ArteTwin Basic Version **Revision Date:** Print Date Date of last issue: 07.04.2021 3.0 02.08.2021 03.08.2021 Date of first issue: 02.09.2019 Regulation (EC) No 1005/2009 on substances that de-Not applicable 2 plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-1 Not applicable tants (recast) REACH - List of substances subject to authorisation None • (Annex XIV) Seveso III: Directive 2012/18/EU of the Euro-Not applicable pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Water hazard class (Germa- : 1 slightly water endangering ny) Product code for laquers and : M-DF01 Water-based paints, solvent-free paints / Giscode : BSW20 Coating materials, water-based Volatile organic compounds : < 0.1 % $< 1 \, g/l$

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H301	:	Toxic if swallowed.	
H302	:	Harmful if swallowed.	
H310	:	Fatal in contact with skin.	
H314	:	Causes severe skin burns and eye damage.	
H315	:	Causes skin irritation.	
H317	:	May cause an allergic skin reaction.	
H318	:	Causes serious eye damage.	
H330	:	Fatal if inhaled.	
H351	:	Suspected of causing cancer if inhaled.	
H400	:	Very toxic to aquatic life.	
H410	:	Very toxic to aquatic life with long lasting effects.	
H411	:	Toxic to aquatic life with long lasting effects.	
EUH071	:	Corrosive to the respiratory tract.	
Full text of other abbreviations			

Acute Tox.	: Acute toxicity
------------	------------------



Version	Revision Date: 02.08.2021	Print Date	Date of last issue: 07.04.2021
3.0		03.08.2021	Date of first issue: 02.09.2019
Aquati Carc. Eye Da Skin C Skin Ir Skin S DE TR	orr. rit.	: Long-te : Carcino : Serious : Skin co : Skin irr : Skin se : Germa	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Carlaviano; ISLL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Dose to 50% of a test population; IDAO - International Maritime Organization; ISLL -Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KCI - Korea Existing Chemicals Inventory; LC50 - Lethal Dose to 50% of a test population; IDAO - International Maritime Organization; NO(A)EL - No Observed (Adverse) Effect Lovel; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation sconcerning the International

#### Further information

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

#### Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network



Version	Revision Date:	Print Date	Date of last issue: 07.04.2021
3.0	02.08.2021	03.08.2021	Date of first issue: 02.09.2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN