

Latex S	Samt 10 Basis 1			
Version 2.0	Revision Date: 02.10.2019	Print Date 03.10.2019	Date of last issue: 15.02.2019 Date of first issue: 15.02.2019	
SECTION	N 1: Identification of	the substance/r	nixture and of the company/undertaking	
1.1 Produ	ct identifier			
Trade	e name	: Latex Samt 1	0 Basis 1	
1.2 Releva	ant identified uses of t		mixture and uses advised against	
	of the Sub- e/Mixture	: Water-borne	coatings	
Reco on us	mmended restrictions e	: within adequate application - none		
1.3 Details	s of the supplier of the	e safety data shee	t	
Comp	Company : Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt Telephone : +496154710		raße 50	
Telep Telefa			0222	
E-ma	ax il address Responsi- suing person	: +4961547170222 : msds@dr-rmi.com		
1.4 Emerg	gency telephone numb	er		
-	gency telephone num-		63 GBK GmbH	
SECTION	N 2: Hazards identifi	cation		
	ification of the substa			
			000)	
	sification (REGULATIC sensitisation, Category		עש) 317: May cause an allergic skin reaction.	
Citiri	Sonolioudaion, Catogory			
2.2 Label	elements			
	lling (REGULATION (E	C) No 1272/2008)		
Haza	rd pictograms			

Hazard statements : H317 May cause an allergic skin reaction.

: Warning

Signal word

according to Regulation (EC) No. 1907/2006

## Latex Samt 10 Basis 1

Version 2.0	Revision Date: 02.10.2019	Print Date 03.10.2019	Date of last issue: 15.02.2019 Date of first issue: 15.02.2019
Precau	itionary statements	label at hand. P102 Keep out o	advice is needed, have product container or of reach of children.
			t in eyes, on skin, or on clothing. ective gloves/ eye protection.
		Response: P302 + P352 IF water.	ON SKIN: Wash with plenty of soap and

Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0,0025 - < 0,025
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1;	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006

# Latex Samt 10 Basis 1

rsion )	Revision Date: 02.10.2019	Print Date 03.10.2019	Date of last issue: 15.02.2019 Date of first issue: 15.02.2019
methy	on mass of 5-chloro-2 /l-2H-isothiazol-3-one /l-2H-isothiazol-3-one	and 2- (3:1) 613-167- 01-21207	Acute Tox. 2; H330 0,0015
	ances with a workpla		7
titaniu	ım dioxide	13463-67 236-675- 01-21194	
kaolin		1332-58- 310-194-	· · · · · · · · · · · · · · · · · · ·
Talc (	Mg3H2(SiO3)4)	14807-96 238-877-	-6 >= 1 - < 10

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	First aider needs to protect himself. Move out of dangerous area. If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person.
If inhaled	:	Move to fresh air.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Do NOT use solvents or thinners.
In case of eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

according to Regulation (EC) No. 1907/2006

# Latex Samt 10 Basis 1

Version 2.0	Revision Date: 02.10.2019		nt Date .10.2019	Date of last issue: 15.02.2019 Date of first issue: 15.02.2019
If swallowed		:	If swallowed, DO NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water Seek medical advice.	
	<b>mportant symptoms ar</b> known.	ıd e	ffects, both acute	and delayed
4.3 Indica	tion of any immediate i	mec	lical attention and	d special treatment needed
Treat	ment	:	No information av	ailable.
SECTION	1 5: Firefighting meas	sure	es	
5.1 Exting	uishing media			
Suitable extinguishing media		:	cumstances and	measures that are appropriate to local cir- the surrounding environment. alcohol-resistant foam, dry chemical or car-
Unsui media	itable extinguishing a	:	None known.	
		4	substance or mi	x411F0
5.2 Specia	al hazards arising from	the	substance of fin	Xiure
-	fic hazards during fire-	the :	In case of fire haz produced such as	zardous decomposition products may be
Speci fightir	fic hazards during fire-	the :	In case of fire has produced such as Carbon monoxide	zardous decomposition products may be s:
Speci fightir 5.3 Advice Speci	fic hazards during fire-	:	In case of fire haz produced such as Carbon monoxide bons (smoke).	zardous decomposition products may be s:

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Do not get in eyes, on skin, or on clothing. Material can create slippery conditions. Use protective shoes or boots with rough rubber sole.
6.2 Environmental precautions		

Environmental precautions	:	Do not flush into surface water or sanitary sewer system.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.
		Prevent further leakage or spillage if safe to do so.

according to Regulation (EC) No. 1907/2006

## Latex Samt 10 Basis 1

Version	Revision Date:	Print Date	Date of last issue: 15.02.2019
2.0	02.10.2019	03.10.2019	Date of first issue: 15.02.2019

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8., For further information see Section 7 of the safety data sheet.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	No special technical protective measures required. For personal protection see section 8.
Hygiene measures	:	Do not eat, drink or smoke when using this product. Wash hands before eating, drinking, or smoking.
7.2 Conditions for safe storage	e, incl	uding any incompatibilities
Requirements for storage areas and containers	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in

areas and containers		kept upright to prevent leakage. Store at room temperature in the original container. To maintain product quality, do not store in heat or direct sunlight. Perishable if frozen.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12, Non Combustible Liquids
7.3 Specific end use(s)		

: Please follow the technical information.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Specific use(s)

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS
		fraction)	(Titanium dioxide)	900
Peak-limit: excur- sion factor (catego- ry)	2;(II)			
Further information	value is estab unspecific act Commission f	lished, since the AG ion on the respirator or dangerous substa	ance no specific occupationa S does not yet have informat y organs in excess of the nor inces, Senate commission fo gerous for the health (MAK-o	tion regarding mal values., r the review of
		AGW (Alveolate	1,25 mg/m3	DE TRGS

according to Regulation (EC) No. 1907/2006

# Latex Samt 10 Basis 1

Version 2.0	Revision Da 02.10.2019			ate of last issue: 15.02.20 ate of first issue: 15.02.20	•
			fraction)	(Titanium dioxide)	900
	-limit: excur- actor (catego-	2;(II)			
kaolir	١	1332-58-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC
Furth	er information	Carcinogens	or mutagens	-	
Talc (Mg3	H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900
	-limit: excur- actor (catego-	2;(II)			
Furth	er information	value is estab unspecific act Commission f	lished, since the AG ion on the respirator for dangerous substa	tance no specific occupations S does not yet have inform y organs in excess of the ances, Senate commission agerous for the health (MA	mation regarding normal values., n for the review of
			AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900
	-limit: excur- actor (catego-	2;(II)			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
titanium dioxide	Consumers	Ingestion	Long-term systemic	700,00 mg/kg
		-	effects	bw/day
	Workers	Inhalation	Long-term local ef-	10,00 mg/m3
			fects	_

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Marine water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Marine sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

#### 8.2 Exposure controls

### Personal protective equipment

Eye protection

: German trade association rules - BGR 192 Eye protection

#### Goggles

: N	litrile rubber
: 0	,2 mm
: C	Class 3
	: 0

according to Regulation (EC) No. 1907/2006

# Latex Samt 10 Basis 1

Version 2.0	Revision Date: 02.10.2019		nt Date 10.2019	Date of last issue: 15.02.2019 Date of first issue: 15.02.2019
Re	marks	:	gloves clean them	ves tested to EN374. Before removing n with soap and water. sociation leaflet: Carry gloves (ZH 1/706)
Skin a	nd body protection	:	Long sleeved clot Safety shoes	thing
				tection according to the amount and con- dangerous substance at the work place.
			Skin should be wa	ashed after contact.
				h contaminated clothing before re-use. lication: impervious clothing
Respi	ratory protection	:	No personal respi quired.	iratory protective equipment normally re-
			German trade ass tion	sociation rules - BGR 190 Breathing protec-
				lication: Do not breathe spray dust. Use on filter for paint spraying.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	Not relevant
рН	:	not determined
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	not determined

according to Regulation (EC) No. 1907/2006

# Latex Samt 10 Basis 1

Versior 2.0	n Revision Date: 02.10.2019	Print Date 03.10.2019	Date of last issue: 15.02.2019 Date of first issue: 15.02.2019
Re	elative vapour density	: not determined	
Re	elative density	: not determined	
De	ensity	: 1,3500 g/cm3	
So	blubility(ies) Water solubility	: completely mis	cible
	artition coefficient: n- tanol/water	: not determined	
Αι	ito-ignition temperature	: not determined	
De	ecomposition temperature	: Not applicable	
Vi	scosity Viscosity, dynamic	: No data availat	ble
Ex	plosive properties	: Not applicable	
O	kidizing properties	: Not applicable	
	<b>ner information</b> ammability (liquids)	: The product is	not flammable.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
<b>10.4 Conditions to avoid</b> Conditions to avoid	:	Protect from frost, heat and sunlight.
<b>10.5 Incompatible materials</b> Materials to avoid	:	Incompatible with oxidizing agents. Incompatible with acids and bases.

### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006

## Latex Samt 10 Basis 1

Version	Revision Date:	Print Date	Date of last issue: 15.02.2019
2.0	02.10.2019	03.10.2019	Date of first issue: 15.02.2019

### **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

Acute	toxicity
-------	----------

Product:

Product:	
Acute oral toxicity :	Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity :	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity :	Remarks: Based on available data, the classification criteria are not met.
Components:	

# 2-methylisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: see user defined free text

#### 1,2-benzisothiazol-3(2H)-one:

Acute dermal toxicity

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist

# reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

: LD50 (Rat): > 2.000 mg/kg

(3:1):

Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402
Skin corrosion/irritation		
Draduate		

### Product:

Remarks

according to Regulation (EC) No. 1907/2006

# Latex Samt 10 Basis 1

Seriou				Date of first issue: 15.02.2019
Seriou			the product is	s not considered as being a skin irritant.
	ıs eye damage/eye irri	tati	on	
Produ	<u>ct:</u>			
Remar	rks	:		the classification criteria of the European Union s not considered as being an eye irritant.
Respir	ratory or skin sensitis	atic	on	
Produ	<u>ct:</u>			
Remar	rks	:	Causes sens	sitisation.
ECTION	12: Ecological infor	ma	tion	
2.1 Toxici	ity			
Produ	<u>ct:</u>			
	y to fish	:	Remarks: No	o data available
	y to daphnia and other c invertebrates	:	Remarks: No	o data available
<u>Comp</u>	onents:			
2-metł	hylisothiazol-3(2H)-on	e:		
M-Fact icity)	tor (Acute aquatic tox-	:	10	
M-Fact toxicity	tor (Chronic aquatic /)	:	1	
1,2-be	nzisothiazol-3(2H)-on	e:		
M-Fact icity)	tor (Acute aquatic tox-	:	1	
M-Fact toxicity	tor (Chronic aquatic /)	:	1	
reactio (3:1):	on mass of 5-chloro-2-	-me	thyl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-one
M-Fact icity)	tor (Acute aquatic tox-	:	100	
M-Fact toxicity	tor (Chronic aquatic /)	:	10	
2.2 Persis	stence and degradabil	ity		

according to Regulation (EC) No. 1907/2006

L of over (	Sound 40 Decta 4		
Latex	Samt 10 Basis 1		
Version 2.0	Revision Date: 02.10.2019	Print Date 03.10.2019	Date of last issue: 15.02.2019 Date of first issue: 15.02.2019
12.3 Bioa	ccumulative potential		
Com	oonents:		
react (3:1):		2-methyl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-one
Partit	ion coefficient: n- ol/water	: log Pow: <= Method: OE0	0,71 CD Test Guideline 117
12.4 Mobi	lity in soil		
No da	ata available		
12.5 Resu	Its of PBT and vPvB a	issessment	
<u>Prod</u> Asse	uct: ssment	to be either p	ce/mixture contains no components considered persistent, bioaccumulative and toxic (PBT), or nt and very bioaccumulative (vPvB) at levels of er
12.6 Othe	r adverse effects		
<u>Prod</u> Additi matio	onal ecological infor-		ental hazard cannot be excluded in the event of al handling or disposal.
SECTION	13: Disposal consi	derations	
13.1 Wast	e treatment methods		
Produ	ıct	: .	
			Level - Press of the sector star

		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006

### Latex Samt 10 Basis 1

Version 2.0	Revision Date: 02.10.2019	Print Date 03.10.2019	Date of last issue: 15.02.2019 Date of first issue: 15.02.2019	

#### 14.4 Packing group

Remarks

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

: Not classified as dangerous in the meaning of transport regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
REACH - List of substances subject to authorisation (Annex XIV)	: None
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
	methanol (Number on list 69) formaldehyde (Number on list 72, 28)
Seveso III: Directive 2012/18/EU of the European Parliar major-accident hazards involving dangerous substances Not applicable	

Water contaminating class (Germany)	:	1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)
Product code for laquers and paints / Giscode	:	M-DF01 Water-based paints, solvent-free
	:	BSW20 Coating materials, water-based
Volatile organic compounds	:	Directive 2004/42/EC < 0.1 % < 1 g/l

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national

according to Regulation (EC) No. 1907/2006

### Latex Samt 10 Basis 1

Version	Revision Date:	Print Date	Date of last issue: 15.02.2019
2.0	02.10.2019	03.10.2019	Date of first issue: 15.02.2019

regulations, where applicable.

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
Full text of other abbreviat	ions	
Acute Tox.	:	Acute toxicity
Acute Tox. Aquatic Acute	:	Acute toxicity Short-term (acute) aquatic hazard
	:	•
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Acute Aquatic Chronic	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard
Aquatic Acute Aquatic Chronic Eye Dam.	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage
Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens.		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion
Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit.		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation Europe. Directive 2004/37/EC on the protection of workers
Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens.		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation
Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens. 2004/37/EC		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens. 2004/37/EC DE TRGS 900		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work Germany. TRGS 900 - Occupational exposure limit values.
Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens. 2004/37/EC		Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitisation Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw -Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECH A - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with %% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS -Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; CDC - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation; (L) No 1907/2006 of the European Parliariage of Dangerous Goods by Rail; SAD

#### **Further information**

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

according to Regulation (EC) No. 1907/2006

## Latex Samt 10 Basis 1

Version	Revision Date:	Print Date	Date of last issue: 15.02.2019
2.0	02.10.2019	03.10.2019	Date of first issue: 15.02.2019

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

### Sources of key data used to compile the Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixture:		Classification procedure:
Olda Orana A	11047	

Skin Sens. 1 H317

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly. This will be put into practice depending on the register-deadline of the substances involved during the transition period from December 1, 2010 till May 31, 2018.

DE / EN