

PremiumColor Basis 3 Version Revision Date: Print Date Date of last issue: 13.02.2019 2.0 04.10.2019 05.10.2019 Date of first issue: 13.02.2019 SECTION 1: Identification of the substance/mixture and of the company/undertaking **1.1 Product identifier** Trade name PremiumColor Basis 3 1.2 Relevant identified uses of the substance or mixture and uses advised against Use of the Sub-: Water-borne coatings stance/Mixture Recommended restrictions : within adequate application - none on use 1.3 Details of the supplier of the safety data sheet : Caparol Farben Lacke GmbH Company Roßdörfer Straße 50 64372 Ober-Ramstadt Telephone : +496154710 Telefax : +4961547170222 E-mail address Responsi-: msds@dr-rmi.com ble/issuing person **1.4 Emergency telephone number** : +49613284463 GBK GmbH Emergency telephone number 1 **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008) Skin sensitisation, Category 1 H317: May cause an allergic skin reaction. 2.2 Label elements Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms

Hazard statements : H317 May cause an allergic skin reaction.

Warning

Signal word

according to Regulation (EC) No. 1907/2006

PremiumColor Basis 3

Version 2.0	Revision Date: 04.10.2019	Print Date 05.10.2019	Date of last issue: 13.02.2019 Date of first issue: 13.02.2019
Precau	itionary statements	label at hand.	advice is needed, have product container or of reach of children.
		P262 Do not get	t in eyes, on skin, or on clothing. ective gloves/ eye protection.
		Response: P302 + P352 IF water.	ON SKIN: Wash with plenty of soap and

Hazardous components which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Emulsion paint, emission-free and solvent-free
Onerniournature	•	Emaision paint, emission nee and servent nee

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0,0025 - < 0,025
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1;	>= 0,0025 - < 0,025

according to Regulation (EC) No. 1907/2006

PremiumColor Basis 3

rsion)	Revision Date: 04.10.2019		t Date 0.2019	Date of last issue: 13.02.2019 Date of first issue: 13.02.2019
methy	on mass of 5-chloro-2 yl-2H-isothiazol-3-one yl-2H-isothiazol-3-one	and 2- (3:1)	55965-84-9 613-167-00-5 01-2120764691	H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H31048Skin Corr. 1B; H314 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 10
	tances with a workpla thylene	ce expos	sure limit : 9002-88-4	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	First aider needs to protect himself. Move out of dangerous area. If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person.
If inhaled	:	Move to fresh air.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Do NOT use solvents or thinners.
In case of eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Seek medical advice.

according to Regulation (EC) No. 1907/2006

Premiu	mColor Basis 3				
Version 2.0	Revision Date: 04.10.2019		int Date .10.2019	Date of last issue: 13.02.2019 Date of first issue: 13.02.2019	
	mportant symptoms a known.	nd e	effects, both acute	e and delayed	
4.3 Indicat	tion of any immediate	me	dical attention and	special treatment needed	
Treatr	ment	:	No information av	ailable.	
SECTION	I 5: Firefighting mea	sur	es		
5.1 Exting	uishing media				
Suitable extinguishing media		:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.		
Unsuitable extinguishing media		:	None known.		
5.2 Specia	al hazards arising from	the	e substance or mi	xture	
Specific hazards during fire- fighting		:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).		
5.3 Advice	e for firefighters				
Special protective equipment : for firefighters			Wear self-contained breathing apparatus for firefighting if nec- essary.		
Further information :			The product itself Standard procedu	does not burn. Ire for chemical fires.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

-		
Personal precautions	:	Do not get in eyes, on skin, or on clothing. Material can create slippery conditions. Use protective shoes or boots with rough rubber sole.
6.2 Environmental precautions		
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities. Prevent further leakage or spillage if safe to do so.
6.3 Methods and material for co	ntai	inment and cleaning up
Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel,

according to Regulation (EC) No. 1907/2006

PremiumColor Basis 3

Version	Revision Date:	Print Date	Date of last issue: 13.02.2019
2.0	04.10.2019	05.10.2019	Date of first issue: 13.02.2019

6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8., For further information see Section 7 of the safety data sheet.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	g	
Advice on safe handling	:	No special technical protective measures required. For personal protection see section 8.
Hygiene measures	:	Do not eat, drink or smoke when using this product. Wash hands before eating, drinking, or smoking.
7.2 Conditions for safe storage,	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container. To maintain product quality, do not store in heat or direct sunlight. Perishable if frozen.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12, Non Combustible Liquids
7.3 Specific end use(s)		
Specific use(s)	:	Please follow the technical information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
Polyethylene	9002-88-4	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900	
Peak-limit: excur- sion factor (catego- ry)	2;(II)				
Further information	General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values., Commission for dangerous substances, Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).				
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900	
Peak-limit: excur- sion factor (catego- ry)	2;(II)				

according to Regulation (EC) No. 1907/2006

PremiumColor Basis 3

Version 2.0	Revision Date: 04.10.2019		int Date 5.10.2019	Date of last issue: 13.02.2019 Date of first issue: 13.02.2019		
8.2 Expos	sure controls					
Pers	onal protective equipn	nent				
Eye p	protection	:	German trade as	sociation rules - BGR 192 Eye protection		
			Goggles			
M G	Hand protection Material : Glove thickness : Protective index :		Nitrile rubber 0,2 mm Class 3	0,2 mm		
R	Remarks :		Wear suitable gloves tested to EN374. Before removing gloves clean them with soap and water. German trade association leaflet: Carry gloves (ZH 1/706)			
Skin	Skin and body protection :		Long sleeved clo Safety shoes	thing		
				tection according to the amount and con- dangerous substance at the work place.		
			Skin should be w	ashed after contact.		
				sh contaminated clothing before re-use. lication: impervious clothing		
Resp	Respiratory protection :		No personal resp quired.	iratory protective equipment normally re-		
			German trade as tion	sociation rules - BGR 190 Breathing protec-		
				lication: Do not breathe spray dust. Use on filter for paint spraying.		

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	Not relevant
рН	:	not determined
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined

according to Regulation (EC) No. 1907/2006

PremiumColor Basis 3

Vers 2.0	sion	Revision Date: 04.10.2019		nt Date 10.2019	Date of last issue: 13.02.2019 Date of first issue: 13.02.2019
	Flash point		:	Not applicable	
	Evapor	ration rate	:	Not applicable	
		explosion limit / Upper ability limit	:	not determined	
		explosion limit / Lower ability limit	:	not determined	
	Vapou	r pressure	:	not determined	
	Relativ	e vapour density	:	not determined	
	Relativ	e density	:	not determined	
	Density	4	:	1,1000 g/cm3	
	Solubil Wa	ity(ies) ter solubility	:	completely misci	ble
	Partitio octano	n coefficient: n- I/water	:	not determined	
	Auto-ig	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	Viscos Visc	ity cosity, dynamic	:	No data available	9
	Explos	ive properties	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
9.2		nformation ability (liquids)	:	The product is n	ot flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: No decomposition if stored and applied as directed.
---------------------	---

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

according to Regulation (EC) No. 1907/2006

PremiumColor Basis 3

Version	Revision Date:	Print Date	Date of last issue: 13.02.2019	
2.0	04.10.2019	05.10.2019	Date of first issue: 13.02.2019	

10.5 Incompatible materials

Materials to avoid

: Incompatible with oxidizing agents. Incompatible with acids and bases.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute t	oxicity
---------	---------

Product:

Acute oral toxicity	: Remarks: Based on available data, the classification crite are not met.	ria
Acute inhalation toxicity	: Remarks: Based on available data, the classification crite are not met.	ria
Acute dermal toxicity	: Remarks: Based on available data, the classification crite	eria

are not met.

Components:

2-methylisothiazol-3(2H)-one):	
Acute oral toxicity	:	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: see user defined free text

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

according to Regulation (EC) No. 1907/2006

PremiumColor Basis 3

l toxicity ion/irritation damage/eye irr	:	the product is not	est Guideline 402
		the product is not	
damage/eye irr		the product is not	
damage/eye irr		the product is not	classification criteria of the European Union considered as being a skin irritant.
damage/eye irr	ritati	on	
Serious eye damage/eye ir Product:		on	
	:		classification criteria of the European Union considered as being an eye irritant.
or skin sensitis	satio	on	
	:	Causes sensitisat	tion.
		:	or skin sensitisation

12.1 Toxicity

Product:						
	:	Remarks: No data available				
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available				
Components:						
2-methylisothiazol-3(2H)-one	:					
M-Factor (Acute aquatic tox- icity)	:	10				
M-Factor (Chronic aquatic toxicity)	:	1				
1,2-benzisothiazol-3(2H)-one	:					
M-Factor (Acute aquatic tox- icity)	:	1				
M-Factor (Chronic aquatic toxicity)	:	1				
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):						
M-Factor (Acute aquatic tox- icity)	:	100				

according to Regulation (EC) No. 1907/2006

PremiumColor Basis 3

Version 2.0	Revision Date: 04.10.2019	Print D 05.10.2		Date of last issue: 13.02.2019 Date of first issue: 13.02.2019			
M-Fac toxicity	tor (Chronic aquatic /)	: 10					
12.2 Persistence and degradability No data available							
12.3 Bioaccumulative potential							
<u>Comp</u>	onents:						
reactio (3:1):	on mass of 5-chloro-2	2-methyl	-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one			
	on coefficient: n- N/water		Pow: <= 0,71 ethod: OECD T	est Guideline 117			
12.4 Mobili	•						
	No data available 12.5 Results of PBT and vPvB assessment						
		55622111	em				
<u>Produ</u> Asses		to I ver	be either persis	ixture contains no components considered stent, bioaccumulative and toxic (PBT), or ad very bioaccumulative (vPvB) at levels of			
12.6 Other	adverse effects						
Produ Additic matior	onal ecological infor-			hazard cannot be excluded in the event of andling or disposal.			
SECTION	13: Disposal consi	deratio	ns				
13.1 Waste Produc	e treatment methods	: .					
		Wa	aste should not	be disposed of via wastewater.			

Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006

PremiumColor Basis 3

Version Revision Date: Print Date Date of last issue: 13.02.2019 2.0 04.10.2019 05.10.2019 Date of first issue: 13.02.2019 Ide of first issue: 13.02.20					
Not regulated as a dangerous good					
14.3 Transport hazard class(es)					
14.3 Transport hazard class(es) Not regulated as a dangerous good					
14.4 Packing group Not regulated as a dangerous good					
14.5 Environmental hazards					

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.			
REACH - List of substances subject to authorisation (Annex XIV)	: None			
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 3			
	methanol (Number on list 69) formaldehyde (Number on list 72, 28)			
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable				
Water contaminating class : 1 slightly water e	endangering			

(Germany)	Classification according to AwSV, Annex 1 (5.2)
Product code for laquers and paints / Giscode	: M-DF01 Water-based paints, solvent-free
	: BSW20 Coating materials, water-based
Volatile organic compounds	: Directive 2004/42/EC

according to Regulation (EC) No. 1907/2006

PremiumColor Basis 3

Version 2.0	Revision Date: 04.10.2019	Print Date 05.10.2019	Date of last issue: 13.02.2019 Date of first issue: 13.02.2019	
< 0.1 % < 1 g/l				

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H411 :	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw -Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with %% response; ELX - Loading rate associated with %% response; EMS - Emergency Schedule; ENCS -Existing and New Chemical Substances (Japan); ErCx - Concentration associated with %% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Cognatization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Carjanization; IECSC - Inventory of Existing Chemicals Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Devel

Further information

Other information:

according to Regulation (EC) No. 1907/2006

PremiumColor Basis 3

Version	Revision Date:	Print Date	Date of last issue: 13.02.2019
2.0	04.10.2019	05.10.2019	Date of first issue: 13.02.2019

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Safety Data Sheet:

H317

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

Classification of the mixture:

Classification procedure:

Skin Sens. 1

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly. This will be put into practice depending on the register-deadline of the substances involved during the transition period from December 1, 2010 till May 31, 2018.

DE / EN