

Hi	Histolith Sol-Silikat Basis 3						
Ver 4.0	sion	Revision Date: 23.01.2023		DS Number: 000219	Date of last issue: 30.11.2020 Date of first issue: 23.01.2023		
SE	SECTION 1: Identification of the substance/mixture and of the company/undertaking						
1.1	Produc	t identifier					
	Trade	name	:	Histolith Sol-Silika	at Basis 3		
1.2	Releva	nt identified uses of t	he s	substance or mixt	ure and uses advised against		
		the Sub- /Mixture	:	Water-borne coat	ings		
	Recom on use	mended restrictions	:	within adequate a	pplication - none		
1.3	Details	of the supplier of the	e saf	ety data sheet			
Company		:	Caparol Farben L Roßdörfer Straße 64372 Ober-Ran	50			
	Teleph		:	+496154710			
	Telefax	< c	:	+4961547170222			
		address Responsi- uing person	:	msds@dr-rmi.cor	n		
1.4	Emerge	ency telephone					
Emergency telephone 1			:	+49613284463 G	BK GmbH		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary Statements		P101 If medical advice is needed, have product container or
		label at hand.
		P102 Keep out of reach of children.

Additional Labeling



Histolith Sol-Silikat Basis 3

		sion Date: SDS Nu 1.2023 6000219		
--	--	-------------------------------------	--	--

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Due to its potassium silicate content, the reaction of silicate based coatings is highly alkaline. Hence protect skin and eyes from paint.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Silicate paint based on potassium silicate solution, aqueous

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 20
Silicic acid, potassium salt	1312-76-1 215-199-1 01-2119456888-17	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 	>= 1 - < 10



Histolith Sol-Silikat Basis 3

Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2020
4.0	23.01.2023	6000219	Date of first issue: 23.01.2023

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice :	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled :	Move to fresh air.
In case of skin contact :	Take off all contaminated clothing immediately. Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact :	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed :	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	a :	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.



Histolith Sol-Silikat Basis 3

Version 4.0	Revision Date: 23.01.2023		DS Number: 000219	Date of last issue: 30.11.2020 Date of first issue: 23.01.2023				
5.2 Special hazards arising from Specific hazards during fire fighting			e substance or mixture In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).					
_	5.3 Advice for firefighters							
•	ecial protective equipment fire-fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-				
Fu	rther information	:		to cool unopened containers. ure for chemical fires. does not burn.				

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		

Environmental precautions	: Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
	Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: For personal protection see section 8. No special technical protective measures required.

Please follow the technical information.

Histolith Sol-Silikat Basis 3

DE / EN



Versi 4.0	on	Revision Date: 23.01.2023		OS Number: 00219	Date of last issue: 30.11.2020 Date of first issue: 23.01.2023
Hygiene measures		:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat ed clothing and protective equipment before entering eating areas.		
7.2 C	onditio	ons for safe storage,	inc	luding any incom	patibilities
Requirements for storage areas and containers		:	in heat or direct s original container	en. To maintain product quality, do not store unlight. Store at room temperature in the . Containers which are opened must be care- l kept upright to prevent leakage.	
,	Advice on common storage		:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
Storage class (TRGS 510)		:	12		
7.3 Specific end use(s) Specific use(s)		:	This information is	s not available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological					
	tolerance values, there is no risk of harming the unborn child					
	AGW (Alveolate 1,25 mg/m3 DE TRGS					
	fraction) (Titanium dioxide) 900					
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological					
	tolerance values, there is no risk of harming the unborn child					
	BM (Alveolar dust fraction)0,5 mg/m3DE TRGS527					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	





Histolith Sol-Silikat Basis 3

		SDS Num 6000219			last issue: 30.11.2020 first issue: 23.01.2023	
titanium dic powder for ing 1 % or particles wi namic diam µm]	m contain- more of ith aerody-	Consumers	Ingestion		Long-term systemic effects	700,00 mg/kg bw/day
		Workers	Inhalation		Long-term local ef- fects	10,00 mg/m3
Kaolin, calo	cined	Workers	Inhalation		Acute systemic ef- fects	3,00 mg/m3
		Workers	Inhalation		Acute local effects	3,00 mg/m3
		Workers	Inhalation		Long-term systemic effects	3,00 mg/m3
		Workers	Inhalation		Long-term local ef- fects	3,00 mg/m3
Silicic acid, salt	potassium	Consumers	Inhalation		Long-term systemic effects	1,38 mg/m3
		Consumers	Ingestion		Long-term systemic effects	0,74 mg/kg bw/day
		Consumers	Skin conta	act	Long-term systemic effects	0,74 mg/kg bw/day
		Workers	Inhalation		Long-term systemic effects	5,61 mg/m3
		Workers	Skin conta	act	Long-term systemic effects	1,49 mg/kg bw/day
calcium cai	rbonate	Consumers	Ingestion		Long-term systemic effects	6,10 mg/kg bw/day
		Consumers	Inhalation		Long-term systemic effects	10,00 mg/m3
		Consumers	Ingestion		Acute systemic ef- fects	6,10 mg/kg bw/day
		Workers	Inhalation		Long-term systemic effects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l



Histolith Sol-Silikat Basis 3

	Version 4.0	Revision Date: 23.01.2023	SDS Number: 6000219	Date of last issue: 30.11.2020 Date of first issue: 23.01.2023
--	----------------	---------------------------	------------------------	---

Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l
Silicic acid, potassium salt	Sea water	1 mg/l
	Intermittent use/release	7,5 mg/l
	Fresh water	7,5 mg/l
	Sewage treatment plant	348 mg/l
calcium carbonate	Sewage treatment plant	100 mg/l

8.2 Exposure controls

Personal protective equipm	ent	
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection
		Goggles
Hand protection Material Glove thickness Protective index		Nitrile rubber 0,2 mm Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Safety shoes Long sleeved clothing
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
		Skin should be washed after contact.
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
		DGUV Regulation 112-190 - Use of breathing equipment
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid



Histolith Sol-Silikat Basis 3

Vers 4.0	sion	Revision Date: 23.01.2023		S Number: 00219	Date of last issue: 30.11.2020 Date of first issue: 23.01.2023
	Color		:	white	
	Odor		:	No data available	9
	Melting	point/freezing point	:	ca. 0 °C	
	Boiling	point/boiling range	:	ca. 100 °C	
		explosion limit / Upper bility limit	:	not determined	
		explosion limit / Lower bility limit	:	not determined	
	Flash p	oint	:	Not applicable	
	Autoigr	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	< 11,4 Concentration: 1	00 %
	Viscosi Visc	ty cosity, dynamic	:	No data available	9
	Solubili Wat	ty(ies) er solubility	:	completely misci	ble
	Partitio octanol	n coefficient: n- /water	:	not determined	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Relative	e density	:	not determined	
	Density	/	:	1,5000 g/cm3	
	Relative	e vapor density	:	not determined	
9.2	9.2 Other information				
	Explosi	ves	:	Not applicable	
	Oxidiziı	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is no	ot flammable.
	Evapor	ation rate	:	Not applicable	



Histolith Sol-Silikat Basis 3								
Version 4.0	Revision Date: 23.01.2023		S Number: 00219	Date of last issue: 30.11.2020 Date of first issue: 23.01.2023				
SECTION 10: Stability and reactivity								
10.1 Reactivity No decomposition if stored and applied as directed.								
10.2 Chemical stability No decomposition if stored and applied as directed.								
10.3 Possibility of hazardous reactions								
Hazard	ous reactions	:	No decomposition	n if stored and applied as directed.				
10.4 Conditions to avoid Conditions to avoid Protect from frost, heat and sunlight.								
10.5 Incompatible materials Materials to avoid : Incompatible with acids and bases. Incompatible with oxidizing agents.								
10.6 Hazardous decomposition products No decomposition if stored and applied as directed.								

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

- Not classified based on available information.
 - Respiratory sensitization

Not classified based on available information.

- Germ cell mutagenicity
- Not classified based on available information.



Histolith Sol-Silikat Basis 3

Version	Revision Date:
4.0	23.01.2023

Date: 5 3 6

SDS Number: 6000219 Date of last issue: 30.11.2020 Date of first issue: 23.01.2023

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.



Histolith Sol-Silikat Basis 3

Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2020
4.0	23.01.2023	6000219	Date of first issue: 23.01.2023

12.6 Endocrine disrupting properties

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:		
Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

J.			
	Product	:	
			Waste should not be disposed of via wastewater.
	Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
	Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good



Histolith Sol-Silikat Basis 3

Version 4.0	Revision Date: 23.01.2023	SDS Nu 6000219			
IMDG	6	: Not	regulated as a dangerous good		
ΙΑΤΑ		: Not i	Not regulated as a dangerous good		
14.3 Tran	sport hazard class(e	s)			
ADN		: Not i	egulated as a dangerous good		
ADR		: Not i	regulated as a dangerous good		
RID		: Not i	egulated as a dangerous good		
IMDG	6	: Not regulated as a dangerous good			
ΙΑΤΑ		: Not i	egulated as a dangerous good		
14.4 Pack	ing group				
ADN		: Not i	regulated as a dangerous good		
ADR		: Not i	egulated as a dangerous good		
RID		: Not i	egulated as a dangerous good		
IMDG	6	: Not i	egulated as a dangerous good		
ΙΑΤΑ	(Cargo)	: Not i	egulated as a dangerous good		
ΙΑΤΑ	(Passenger)	: Not i	egulated as a dangerous good		
14.5 Envi	ronmental hazards				
	egulated as a dangero	-			
•	ial precautions for u				
Rema	arks	: Not of lation	classified as dangerous in the meaning of transport reguns.		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	: This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener-



Histolith Sol-Silikat Basis 3					
Version 4.0	Revision Date: 23.01.2023	SDS Number: 6000219	Date of last issue: 30.11.2020 Date of first issue: 23.01.2023		
			ated.		
	ation (EC) No 1005/200 ne ozone layer	9 on substances that c	le- : Not applicable		
Regula tants (i	ation (EU) 2019/1021 o recast)	n persistent organic po	llu- : Not applicable		
REAC (Anne>	H - List of substances s (XIV)	subject to authorisation	: None		
pean F control	o III: Directive 2012/18/ Parliament and of the C of major-accident haza rous substances.	ouncil on the	Not applicable		
Water ny)	hazard class (Germa-		ater endangering ording to AwSV, Annex 1 (5.2)		
	ct code for laquers and / Giscode	: M-SK01 1-K silica	te paints		
		: BSW40 Coating n	naterials, water-based, alkaline		
Volatile	e organic compounds	: Directive 2004/42 < 0.1 % < 1 g/l	/EC		

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements				
H315 H319	:	Causes skin irritation. Causes serious eye irritation.		
H335 H351	:	May cause respiratory irritation. Suspected of causing cancer if inhaled.		
Full text of other abbreviations				
Carc. Eye Irrit. Skin Irrit. STOT SE DE TRGS 527 DE TRGS 900 DE TRGS 527 / BM	:	Carcinogenicity Eye irritation Skin irritation Specific target organ toxicity - single exposure Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Assessment scale		



Histolith Sol-Silikat Basis 3

Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2020
4.0	23.01.2023	6000219	Date of first issue: 23.01.2023

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IESC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Re

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Histolith Sol-Silikat Basis 3

Version	Revision Date:	SDS Number:	Date of last issue: 30.11.2020
4.0	23.01.2023	6000219	Date of first issue: 23.01.2023

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN