

# Indeko-plus Basis 3Version<br/>1.0Revision Date:<br/>08.08.2019Print Date<br/>09.08.2019Date of last issue: -<br/>Date of first issue: 08.08.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	Indeko-plus Basis 3
1.2 Relevant identified uses of th	ne s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Caparol Farben Lacke GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone		+496154710
Telefax E-mail address Responsi- ble/issuing person	-	+4961547170222 msds@dr-rmi.com
1.4 Emergency telephone number	ər	
Emergency telephone num- ber 1	:	+49613284463 GBK GmbH
SECTION 2: Hazards identific	atio	on
2.1 Classification of the substan	ce	or mixture
Classification (REGULATIO	•	
2.2 Label elements		

#### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary statements	:	P101 If medical advice is needed, have product container or
		label at hand.
		P102 Keep out of reach of children.

according to Regulation (EC) No. 1907/2006

## Indeko-plus Basis 3

Version	Revision Date:	Print Date	Date of last issue: -
1.0	08.08.2019	09.08.2019	Date of first issue: 08.08.2019

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative tive and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

When spraying, use face mask with particle filter P2 against spray dust.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Registration number		
Silicic acid, potassium salt	1312-76-1	Skin Irrit. 2; H315	>= 1 - < 10
	215-199-1	Eye Irrit. 2; H319	
	01-2119456888-17	STOT SE 3; H335	
Substances with a workplace exp	osure limit :		
Talc (Mg3H2(SiO3)4)	14807-96-6		>= 1 - < 10
	238-877-9		
	01-2120140278-58		
titanium dioxide	13463-67-7		>= 1 - < 10
	236-675-5		
	01-2119489379-17		

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	First aider needs to protect himself. Move out of dangerous area. If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person.
If inhaled	:	Move to fresh air.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Do NOT use solvents or thinners.
In case of eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
If swallowed	:	If swallowed, DO NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Seek medical advice.

according to Regulation (EC) No. 1907/2006

Indeko-	plus Basis 3			
Version 1.0	Revision Date: 08.08.2019		int Date 0.08.2019	Date of last issue: - Date of first issue: 08.08.2019
<b>4.2 Most in</b> None k	nportant symptoms ar nown.	nd e	effects, both acut	e and delayed
4.3 Indicati	on of any immediate	med	dical attention an	d special treatment needed
Treatm	ent	:	No information a	vailable.
SECTION	5: Firefighting meas	sur	es	
5.1 Extingu	ishing media			
Suitabl	e extinguishing media	:	cumstances and	g measures that are appropriate to local cir- the surrounding environment. alcohol-resistant foam, dry chemical or car-
Unsuita media	able extinguishing	:	None known.	
5.2 Special	hazards arising from	the	e substance or mi	ixture
Specifi fighting	c hazards during fire- I	<ul> <li>In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).</li> </ul>		
5.3 Advice	for firefighters			
Specia for firef	I protective equipment ighters	:	Wear self-contair essary.	ned breathing apparatus for firefighting if nec-
Furthe	rinformation	:	The product itsel Standard proced	f does not burn. ure for chemical fires.

#### **SECTION 6:** Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

• • •	
Personal precautions	<ul> <li>Do not get in eyes, on skin, or on clothing.</li> <li>Material can create slippery conditions.</li> <li>Use protective shoes or boots with rough rubber sole.</li> </ul>
6.2 Environmental precautions	
Environmental precautions	: Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
	Prevent further leakage or spillage if safe to do so.
6.3 Methods and material for con	tainment and cleaning up
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel

Methods for cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
		Keep in suitable, closed containers for disposal.

according to Regulation (EC) No. 1907/2006

## Indeko-plus Basis 3

Version	Revision Date:	Print Date	Date of last issue: -
1.0	08.08.2019	09.08.2019	Date of first issue: 08.08.2019

#### 6.4 Reference to other sections

For disposal considerations see section 13., For personal protection see section 8., For further information see Section 7 of the safety data sheet.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling	J	
Advice on safe handling	:	No special technical protective measures required. For personal protection see section 8.
Hygiene measures	:	Do not eat, drink or smoke when using this product. Wash hands before eating, drinking, or smoking.
7.2 Conditions for safe storage, i	incl	uding any incompatibilities
Requirements for storage areas and containers	:	Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container. To maintain product quality, do not store in heat or direct sunlight. Perishable if frozen.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12, Non Combustible Liquids
7.3 Specific end use(s)		
Specific use(s)	:	Please follow the technical information.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Talc (Mg3H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900
Peak-limit: excur- sion factor (catego- ry)	2;(II)			
Further information	General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values., Commission for dangerous substances, Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900
Peak-limit: excur- sion factor (catego- ry)	2;(II)			
titanium dioxide	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS

according to Regulation (EC) No. 1907/2006

## Indeko-plus Basis 3

Version 1.0	Revision Dat 08.08.2019	•	2 4.10	ate of last issue: - Pate of first issue: 08.08.2019	
	-limit: excur- actor (catego-	2;(II)	fraction)	(Titanium dioxide)	900
Furth	er information	value is estab unspecific act Commission f	lished, since the A ion on the respirato or dangerous subs	stance no specific occupationa GS does not yet have informat ory organs in excess of the nor tances, Senate commission fo ngerous for the health (MAK-c	tion regarding mal values., r the review of
		· · ·	AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900
	-limit: excur- actor (catego-	2;(II)			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
Silicic acid, potassium salt	Consumers	Inhalation	Long-term systemic effects	1,38 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,74 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,74 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Marine water	0,41 mg/l
	Sewage treatment plant	1400 mg/l
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry
		weight (d.w.)
	Marine water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry
		weight (d.w.)
	Marine sediment	100 mg/kg dry
		weight (d.w.)
	Intermittent use/release	0,193 mg/l
Silicic acid, potassium salt	Marine water	1 mg/l
	Intermittent use/release	7,5 mg/l
	Fresh water	7,5 mg/l
	Sewage treatment plant	348 mg/l

#### 8.2 Exposure controls

#### Personal protective equipment

Eye protection

not required

:

Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

according to Regulation (EC) No. 1907/2006

## Indeko-plus Basis 3

Version 1.0	Revision Date: 08.08.2019	Print Date 09.08.2019	Date of last issue: - Date of first issue: 08.08.2019
		German ti	ade association rules - BGR 192 Eye protection
		Goggles	
Ma Gl	protection aterial love thickness rotective index	: Nitrile rub : 0,2 mm : Class 3	ber
Re	emarks	gloves cle	able gloves tested to EN374. Before removing an them with soap and water. ade association leaflet: Carry gloves (ZH 1/706)
Skin a	and body protection	: Long slee Safety sho	ved clothing bes
			ody protection according to the amount and con- of the dangerous substance at the work place.
		Skin shou	ld be washed after contact.
Resp	iratory protection	: No persor quired.	nal respiratory protective equipment normally re-
		German ti tion	ade association rules - BGR 190 Breathing protec-
		When spr spray dus	aying, use face mask with particle filter P2 against t.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	Not relevant
рН	:	11,4
Melting point/range	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Upper explosion limit / Upper flammability limit	:	not determined

according to Regulation (EC) No. 1907/2006

## Indeko-plus Basis 3

Vers 1.0	sion	Revision Date: 08.08.2019		nt Date 08.2019	Date of last issue: - Date of first issue: 08.08.2019
		explosion limit / Lower ability limit	:	not determined	
	Vapou	r pressure	:	not determined	
	Relativ	e vapour density	:	not determined	
	Density	¢	:	1,3400 g/cm3	
	Solubil Wa	ity(ies) ter solubility	:	completely misci	ble
	Partitio octano	n coefficient: n- I/water	:	not determined	
	Auto-ig	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	Viscos Visc	ity cosity, dynamic	:	No data available	e
	Explos	ive properties	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
9.2		nformation ability (liquids)	:	The product is n	ot flammable.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### **10.2 Chemical stability**

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous rea	actic	ons
Hazardous reactions	:	No decomposition if stored and applied as directed.
10.4 Conditions to avoid		
Conditions to avoid	:	Protect from frost, heat and sunlight.
10.5 Incompatible materials		
Materials to avoid	:	Incompatible with oxidizing agents. Incompatible with acids and bases.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

according to Regulation (EC) No. 1907/2006

#### Indeko-plus Basis 3 Date of last issue: -Version **Revision Date:** Print Date 08.08.2019 09.08.2019 Date of first issue: 08.08.2019 1.0 **SECTION 11: Toxicological information** 11.1 Information on toxicological effects Acute toxicity Product: Acute oral toxicity Remarks: Based on available data, the classification criteria : are not met. Acute inhalation toxicity : Remarks: Based on available data, the classification criteria are not met. Remarks: Based on available data, the classification criteria Acute dermal toxicity : are not met. Skin corrosion/irritation Product: Remarks Based on OECD test 431 this product is not classified as skin 5 corrosive/skin irritant. Information given is based on tests on products of similar composition. Serious eye damage/eye irritation **Product:** Remarks According to the classification criteria of the European Union, ÷ the product is not considered as being an eye irritant. Respiratory or skin sensitisation Product: Remarks : No data available **SECTION 12: Ecological information** 12.1 Toxicity Product: Toxicity to fish : Remarks: No data available Toxicity to daphnia and other : Remarks: No data available aquatic invertebrates 12.2 Persistence and degradability

## No data available

12.3 Bioaccumulative potential

No data available

according to Regulation (EC) No. 1907/2006

Indeko	-plus Basis 3				
Version 1.0	Revision Date: 08.08.2019		rint Date 9.08.2019	Date of last issue: - Date of first issue: 08.08.2019	
No da	ility in soil ata available Ilts of PBT and vPvB a	asse	essment		
Prod	uct:				
Assessment		:	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher		
12.6 Othe	r adverse effects				
<u>Prod</u> Additi matio	ional ecological infor-	:		I hazard cannot be excluded in the event of andling or disposal.	

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

#### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

see sections 6-8

according to Regulation (EC) No. 1907/2006

## Indeko-plus Basis 3

Version	Revision Date:	Print Date	Date of last issue: -
1.0	08.08.2019	09.08.2019	Date of first issue: 08.08.2019

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

REACH - Candidate List of Substances Concern for Authorisation (Article 59).	of Very High :	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.		
REACH - List of substances subject to a (Annex XIV)	authorisation :	None		
REACH - Restrictions on the manufactu the market and use of certain dangerou preparations and articles (Annex XVII)	· · ·	Not applicable		
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable				
Water contaminating class : 1 (Germany) Class	5,	angering 9 AwSV, Annex 1 (5.2)		
<ul> <li>(Annex XIV)</li> <li>REACH - Restrictions on the manufacture the market and use of certain dangerous preparations and articles (Annex XVII)</li> <li>Seveso III: Directive 2012/18/EU of the major-accident hazards involving dangerous Not an Water contaminating class : 1</li> </ul>	ire, placing on : s substances, European Parliamen erous substances. applicable slightly water enda	Not applicable t and of the Council on the control of angering		

Product code for laquers and	: M-DF01 Water-based paints, solvent-free
paints / Giscode	

Volatile organic compounds	: Directive 2004/42/EC
	< 0.1 %
	< 1 g/l

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H315 H319 H335	: : :	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.	
Full text of other abbreviations			
Eye Irrit. Skin Irrit. STOT SE DE TRGS 900	:	Eye irritation Skin irritation Specific target organ toxicity - single exposure Germany. TRGS 900 - Occupational exposure limit values.	

according to Regulation (EC) No. 1907/2006

## Indeko-plus Basis 3

VersionRevision Date:Print DateDate of last issue: -1.008.08.201909.08.2019Date of first issue: 08.08.2019	19
--	----

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw -Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS -Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Coil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Cangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances (Qua

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly. This will be put into practice depending on the register-deadline of the substances involved during the transition period from December 1, 2010 till May 31, 2018.

DE / EN