according to Regulation (EC) No. 1907/2006

CAPAROL

DE / EN

# **Sonderton HaftGrund EG Airfix**

Version Revision Date: SDS Number: Date of last issue: 01.12.2020 1.2 06.02.2023 6008175 Date of first issue: 02.09.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sonderton HaftGrund EG Airfix

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Water-borne coatings

stance/Mixture

Recommended restrictions

on use

: within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company : Caparol Farben Lacke GmbH

Roßdörfer Straße 50 64372 Ober-Ramstadt

Telephone : +496154710 Telefax : +4961547170222

E-mail address Responsi-

ble/issuing person

: msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

### Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary Statements : P101 If medical advice is needed, have product container or

label at hand.

P102 Keep out of reach of children.

according to Regulation (EC) No. 1907/2006



DE / EN

# Sonderton HaftGrund EG Airfix

Version Revision Date: SDS Number: Date of last issue: 01.12.2020 1.2 06.02.2023 6008175 Date of first issue: 02.09.2019

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

| Chemical name  | CAS-No. EC-No. Index-No. Registration number                | Classification  | Concentration<br>(% w/w) |
|--|---|---|--------------------------|
| Silicic acid, potassium salt   | 1312-76-1<br>215-199-1<br>01-2119456888-17                  | Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 —— specific concentration limit Skin Irrit. 2; H315 >= 40 % Eye Irrit. 2; H319 >= 40 % STOT SE 3; H335 >= 75 % | >= 1 - < 10              |
| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] | 13463-67-7<br>236-675-5<br>022-006-00-2<br>01-2119489379-17 | Carc. 2; H351   | >= 0,1 - < 1             |

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

General advice Never give anything by mouth to an unconscious person.

according to Regulation (EC) No. 1907/2006

DE / EN



# Sonderton HaftGrund EG Airfix

Version Revision Date: SDS Number: Date of last issue: 01.12.2020 1.2 06.02.2023 6008175 Date of first issue: 02.09.2019

If you feel unwell, seek medical advice (show the label where

possible).

Move out of dangerous area. First aider needs to protect himself.

If inhaled : Move to fresh air.

In case of skin contact : Do NOT use solvents or thinners.

In case of contact, immediately flush skin with soap and plenty

of water.

In case of eye contact : If eye irritation persists: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If swallowed : Seek medical advice.

Clean mouth with water and drink afterwards plenty of water.

If swallowed, DO NOT induce vomiting.

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Do not use a solid water stream as it may scatter and spread

fire.

Unsuitable extinguishing

media

None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

fighting

: In case of fire hazardous decomposition products may be

produced such as:

Carbon monoxide, carbon dioxide and unburned hydrocar-

bons (smoke).

according to Regulation (EC) No. 1907/2006

CAPAROL

DE / EN

# Sonderton HaftGrund EG Airfix

Version Revision Date: SDS Number: Date of last issue: 01.12.2020 1.2 06.02.2023 6008175 Date of first issue: 02.09.2019

#### 5.3 Advice for firefighters

Special protective equipment:

for fire-fighters

Wear self-contained breathing apparatus for firefighting if nec-

essary

Further information : Standard procedure for chemical fires.

The product itself does not burn.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use protective shoes or boots with rough rubber sole.

Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.

#### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

No special technical protective measures required.

In addition, the current technical information for this product and its application on www.caparol.com must be observed.

Hygiene measures : Wash hands before eating, drinking, or smoking. Do not eat,

drink or smoke when using this product. Remove contaminated clothing and protective equipment before entering eating

areas.

according to Regulation (EC) No. 1907/2006



DE / EN

# **Sonderton HaftGrund EG Airfix**

SDS Number: Version Revision Date: Date of last issue: 01.12.2020 1.2 06.02.2023 6008175 Date of first issue: 02.09.2019

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care-

fully resealed and kept upright to prevent leakage.

Advice on common storage

: Keep away from oxidizing agents and strongly acid or alkaline

materials.

Storage class (TRGS 510) 12

7.3 Specific end use(s)

Specific use(s) This information is not available.

### **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

### **Occupational Exposure Limits**

| Components   | CAS-No.   | Value type (Form of exposure) | Control parameters             | Basis          |
|--|---|-------------------------------|--------------------------------|----------------|
| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] | 13463-67-7  | AGW (Inhalable fraction)      | 10 mg/m3<br>(Titanium dioxide) | DE TRGS<br>900 |
|  | Peak-limit category: 2;(II)   |                               |                                |                |
|  | Further information: When there is compliance with the OEL and biological |                               |                                |                |
|  | tolerance values, there is no risk of harming the unborn child            |                               |                                |                |
|  |   | AGW (Alveolate                | 1,25 mg/m3                     | DE TRGS        |
|  |   | fraction)                     | (Titanium dioxide)             | 900            |
|  | Peak-limit category: 2;(II)   |                               |                                |                |
|  | Further information: When there is compliance with the OEL and biological |                               |                                |                |
|  | tolerance values, there is no risk of harming the unborn child            |                               |                                |                |
|  |   | BM (Alveolar dust fraction)   | 0,5 mg/m3                      | DE TRGS<br>527 |

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name   | End Use | Routes of exposure | Potential health effects   | Value      |
|------------------|---------|--------------------|----------------------------|------------|
| Kaolin, calcined | Workers | Inhalation         | Acute systemic effects     | 3,00 mg/m3 |
|                  | Workers | Inhalation         | Acute local effects        | 3,00 mg/m3 |
|                  | Workers | Inhalation         | Long-term systemic effects | 3,00 mg/m3 |
|                  | Workers | Inhalation         | Long-term local ef-        | 3,00 mg/m3 |

according to Regulation (EC) No. 1907/2006



DE / EN

# **Sonderton HaftGrund EG Airfix**

Version Revision Date: SDS Number: Date of last issue: 01.12.2020 1.2 06.02.2023 6008175 Date of first issue: 02.09.2019

|  |           |              | fects                        |                        |
|--|-----------|--------------|------------------------------|------------------------|
| Silicic acid, potassium salt   | Consumers | Inhalation   | Long-term systemic effects   | 1,38 mg/m3             |
|  | Consumers | Ingestion    | Long-term systemic effects   | 0,74 mg/kg<br>bw/day   |
|  | Consumers | Skin contact | Long-term systemic effects   | 0,74 mg/kg<br>bw/day   |
|  | Workers   | Inhalation   | Long-term systemic effects   | 5,61 mg/m3             |
|  | Workers   | Skin contact | Long-term systemic effects   | 1,49 mg/kg<br>bw/day   |
| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] | Consumers | Ingestion    | Long-term systemic effects   | 700,00 mg/kg<br>bw/day |
|  | Workers   | Inhalation   | Long-term local ef-<br>fects | 10,00 mg/m3            |

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name   | Environmental Compartment | Value                           |
|--|---------------------------|---------------------------------|
| Kaolin, calcined   | Intermittent use/release  | 25 mg/l                         |
|  | Fresh water               | 4,1 mg/l                        |
|  | Sea water                 | 0,41 mg/l                       |
|  | Sewage treatment plant    | 1400 mg/l                       |
| Silicic acid, potassium salt   | Sea water                 | 1 mg/l                          |
|  | Intermittent use/release  | 7,5 mg/l                        |
|  | Fresh water               | 7,5 mg/l                        |
|  | Sewage treatment plant    | 348 mg/l                        |
| titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] | Sewage treatment plant    | 100 mg/l                        |
|  | Fresh water               | 0,184 mg/l                      |
|  | Soil                      | 100 mg/kg dry<br>weight (d.w.)  |
|  | Sea water                 | 0,0184 mg/l                     |
|  | Fresh water sediment      | 1000 mg/kg dry<br>weight (d.w.) |
|  | Sea sediment              | 100 mg/kg dry<br>weight (d.w.)  |
|  | Intermittent use/release  | 0,193 mg/l                      |

### 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

not required

according to Regulation (EC) No. 1907/2006

DE / EN



# **Sonderton HaftGrund EG Airfix**

Version Revision Date: SDS Number: Date of last issue: 01.12.2020 1.2 06.02.2023 6008175 Date of first issue: 02.09.2019

DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection

Material : Nitrile rubber Glove thickness : 0,2 mm Protective index : Class 3

Remarks : Before removing gloves clean them with soap and water.

Wear suitable gloves tested to EN374.

DGUV Regulation 112-195 - Use of protective gloves

Skin and body protection : Safety shoes

Long sleeved clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Skin should be washed after contact.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

German trade association rules - BGR 190 Breathing protec-

tion

When spraying, use face mask with particle filter P2 against

spray dust.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state : liquid

Color : No data available

Odor : No data available

Melting point/freezing point : ca. 0 °C

Boiling point/boiling range : ca. 100 °C

Upper explosion limit / Upper

flammability limit

: not determined

according to Regulation (EC) No. 1907/2006

DE / EN



# **Sonderton HaftGrund EG Airfix**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.12.2020

 1.2
 06.02.2023
 6008175
 Date of first issue: 02.09.2019

Lower explosion limit / Lower

flammability limit

not determined

Flash point : Not applicable

Autoignition temperature : not determined

Decomposition temperature : Not applicable

pH : 11,4

Concentration: 100 %

Viscosity

Viscosity, dynamic : No data available

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

not determined

Vapor pressure : ca. 23,4 hPa (20 °C)

Density : 1,5000 g/cm3

Relative vapor density : not determined

9.2 Other information

Explosives : Not applicable

Oxidizing properties : Not applicable

Flammability (liquids) : The product is not flammable.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

according to Regulation (EC) No. 1907/2006



DE / EN

# **Sonderton HaftGrund EG Airfix**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.12.2020

 1.2
 06.02.2023
 6008175
 Date of first issue: 02.09.2019

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Incompatible with acids and bases.

Incompatible with oxidizing agents.

### 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

# **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

**Product:** 

Acute oral toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute inhalation toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : Remarks: Based on available data, the classification criteria

are not met.

#### Skin corrosion/irritation

**Product:** 

Remarks : Based on OECD test 431 this product is not classified as skin

corrosive/skin irritant.

Information given is based on tests on products of similar

composition.

Remarks : Information given is based on tests on products of similar

composition.

Based on OECD test 431 this product is not classified as skin

corrosive/skin irritant.

### Serious eye damage/eye irritation

**Product:** 

Remarks : According to the classification criteria of the European Union,

the product is not considered as being an eye irritant.

according to Regulation (EC) No. 1907/2006



DE / EN

# Sonderton HaftGrund EG Airfix

Version Revision Date: SDS Number: Date of last issue: 01.12.2020 1.2 06.02.2023 6008175 Date of first issue: 02.09.2019

### Respiratory or skin sensitization

**Product:** 

Remarks No data available

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

**Product:** 

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

# **Product:**

Assessment This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

### 12.6 Endocrine disrupting properties

# **Product:**

Assessment The substance/mixture does not contain components consid-

> ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006

CAPAROL

DE / EN

# Sonderton HaftGrund EG Airfix

Version Revision Date: SDS Number: Date of last issue: 01.12.2020 1.2 06.02.2023 6008175 Date of first issue: 02.09.2019

### 12.7 Other adverse effects

#### **Product:**

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product :

Waste should not be disposed of via wastewater.

Contaminated packaging : Only completely emptied containers should be given for recy-

cling.

Waste Code : used product

080112, waste paint and varnish other than those mentioned

in 08 01 11\*

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006

according to Regulation (EC) No. 1907/



DE / EN

# Sonderton HaftGrund EG Airfix

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 01.12.2020

 1.2
 06.02.2023
 6008175
 Date of first issue: 02.09.2019

IMDG : Not regulated as a dangerous goodIATA : Not regulated as a dangerous good

### 14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

mixtures and articles (Annex XVII)

Not applicable

REACH - Candidate List of Substances of Very High

Concern for Authorization (Article 59).

This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener-

ated.

None

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

REACH - List of substances subject to authorisation

according to Regulation (EC) No. 1907/2006

DE / EN



# Sonderton HaftGrund EG Airfix

Version Revision Date: SDS Number: Date of last issue: 01.12.2020 1.2 06.02.2023 6008175 Date of first issue: 02.09.2019

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class (Germa:

ny)

WGK 1 slightly water endangering

Classification according to AwSV, Annex 1 (5.2)

: BSW10 Coating materials, water-based, low preservative

content

Volatile organic compounds : Directive 2004/42/EC

< 0.1 % < 1 g/l

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H315 : Causes skin irritation.

H319 : Causes serious eye irritation. H335 : May cause respiratory irritation.

H351 : Suspected of causing cancer if inhaled.

#### Full text of other abbreviations

Carc. : Carcinogenicity
Eye Irrit. : Eye irritation
Skin Irrit. : Skin irritation

STOT SE : Specific target organ toxicity - single exposure
DE TRGS 527 : Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

DE TRGS 527 / BM : Assessment scale
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safesty and Health Law (Japan); ISO - Lethal Concentration to 50 % of a test population; LD50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Concentration to 50 % of a test population; Not Otherwise Specified; No(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemicals and Chemicals Safety and Pollution P

according to Regulation (EC) No. 1907/2006

DE / EN



# Sonderton HaftGrund EG Airfix

Version Revision Date: SDS Number: Date of last issue: 01.12.2020 1.2 06.02.2023 6008175 Date of first issue: 02.09.2019

cal Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technicals Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

### Sources of key data used to compile the Material Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs.

Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH

NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,

Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN